

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)および累積罹患率(人口100対) ; 部位別、性別

A. 上皮内がんを除く

2007年

部位	ICD-10	罹患数			罹患割合(%)			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	日本人人口			世界人口			男	女	男女計
											男	女	男女計	男	女	男女計			
全部位	C00-C96	2,961	2,140	5,101	100.0	100.0	100.0	752.6	507.5	625.8	435.3	287.7	349.9	309.4	214.6	254.8	35.4	23.2	28.9
口腔・咽頭	C00-C14	51	19	70	1.7	0.9	1.4	13.0	4.5	8.6	8.6	2.3	5.2	6.4	1.8	3.9	0.7	0.2	0.5
食道	C15	58	14	72	2.0	0.7	1.4	14.7	3.3	8.8	8.9	2.0	5.2	6.4	1.5	3.8	0.8	0.2	0.5
胃	C16	585	311	896	19.8	14.5	17.6	148.7	73.8	109.9	88.6	35.9	59.9	63.8	25.6	43.2	7.5	2.7	5.0
大腸(結腸・直腸)	C18-C20	425	344	769	14.4	16.1	15.1	108.0	81.6	94.3	63.6	39.6	50.5	45.3	28.1	36.0	5.5	3.3	4.3
結腸	C18	265	252	517	8.9	11.8	10.1	67.4	59.8	63.4	39.6	28.4	33.5	28.3	20.2	23.9	3.4	2.3	2.8
直腸	C19-C20	160	92	252	5.4	4.3	4.9	40.7	21.8	30.9	24.0	11.2	17.0	17.0	7.9	12.1	2.1	1.0	1.5
肝および肝内胆管	C22	178	115	293	6.0	5.4	5.7	45.2	27.3	35.9	26.3	12.0	18.5	18.6	8.2	13.0	2.3	1.1	1.6
胆のう・胆管	C23-C24	91	86	177	3.1	4.0	3.5	23.1	20.4	21.7	12.7	6.4	9.4	8.7	4.1	6.3	1.0	0.3	0.6
膵臓	C25	125	105	230	4.2	4.9	4.5	31.8	24.9	28.2	17.8	11.1	14.0	12.5	7.9	10.0	1.6	1.0	1.2
喉頭	C32	27	1	28	0.9	0.0	0.5	6.9	0.2	3.4	4.2	0.0	2.0	3.1	0.0	1.5	0.4	0.0	0.2
肺	C33-C34	490	185	675	16.5	8.6	13.2	124.5	43.9	82.8	65.6	20.1	40.0	43.6	14.3	27.3	4.9	1.7	3.2
皮膚	C43-C44	60	43	103	2.0	2.0	2.0	15.3	10.2	12.6	8.8	4.3	6.3	6.0	3.1	4.4	0.6	0.3	0.5
乳房	C50	4	353	357	0.1	16.5	7.0	1.0	83.7	43.8	0.6	67.7	34.9	0.4	52.8	27.1	0.0	5.5	2.8
子宮	C53-C55	-	138	138	-	6.4	2.7	-	32.7	-	-	26.0	-	-	20.3	-	-	2.2	-
子宮頸部	C53	-	63	63	-	2.9	1.2	-	14.9	-	-	13.5	-	-	10.7	-	-	1.1	-
子宮体部	C54	-	69	69	-	3.2	1.4	-	16.4	-	-	12.1	-	-	9.4	-	-	1.1	-
卵巣	C56	-	55	55	-	2.6	1.1	-	13.0	-	-	10.4	-	-	8.1	-	-	0.8	-
前立腺	C61	396	-	396	13.4	-	7.8	100.7	-	-	53.5	-	-	36.4	-	-	4.5	-	-
膀胱	C67	103	31	134	3.5	1.4	2.6	26.2	7.4	16.4	14.2	2.8	7.9	9.7	1.9	5.4	1.2	0.3	0.7
腎・尿路(膀胱除く)	C64-C66 C68	96	44	140	3.2	2.1	2.7	24.4	10.4	17.2	14.9	4.5	9.3	10.7	3.0	6.6	1.1	0.3	0.7
脳・中枢神経系	C70-C72	25	22	47	0.8	1.0	0.9	6.4	5.2	5.8	4.2	3.4	3.7	3.8	2.8	3.3	0.3	0.2	0.3
甲状腺	C73	30	98	128	1.0	4.6	2.5	7.6	23.2	15.7	6.0	18.3	12.3	4.6	14.1	9.4	0.5	1.6	1.1
悪性リンパ腫	C81-C85 C96	96	75	171	3.2	3.5	3.4	24.4	17.8	21.0	16.0	8.1	11.8	12.2	6.0	8.9	1.1	0.6	0.8
多発性骨髄腫	C88-C90	23	22	45	0.8	1.0	0.9	5.8	5.2	5.5	3.3	2.1	2.7	2.3	1.4	1.8	0.3	0.2	0.2
白血病	C91-C95	36	28	64	1.2	1.3	1.3	9.2	6.6	7.9	6.8	4.5	5.6	6.4	4.6	5.4	0.5	0.3	0.4

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)および累積罹患率(人口100対) ; 部位別、性別

B. 上皮内がんを含む

2007年

部位	ICD-10	罹患数			罹患割合(%)			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	日本人人口			世界人口			男	女	男女計
											男	女	男女計	男	女	男女計			
全部位	C00-C96 D00-D09	3,081	2,331	5,412	100.0	100.0	100.0	783.1	552.8	663.9	453.7	325.8	377.9	322.7	244.6	276.3	37.2	26.3	31.3
食道	C15 D001	62	15	77	2.0	0.6	1.4	15.8	3.6	9.4	9.5	2.0	5.5	6.9	1.5	4.0	0.9	0.2	0.5
大腸(結腸・直腸)*1	C18-C20 D010-D012	498	404	902	16.2	17.3	16.7	126.6	95.8	110.7	75.3	48.3	60.6	53.9	34.5	43.4	6.6	4.1	5.3
結腸 *1	C18 D010	318	292	610	10.3	12.5	11.3	80.8	69.2	74.8	48.1	34.4	40.7	34.6	24.6	29.2	4.3	2.9	3.5
直腸 *1	C19-C20 D011-D012	180	112	292	5.8	4.8	5.4	45.8	26.6	35.8	27.2	13.9	19.9	19.3	9.9	14.2	2.3	1.2	1.7
肺	C33-C34 D021-D022	490	185	675	15.9	7.9	12.5	124.5	43.9	82.8	65.6	20.1	40.0	43.6	14.3	27.3	4.9	1.7	3.2
皮膚	C43-C44 D030-D049	64	52	116	2.1	2.2	2.1	16.3	12.3	14.2	9.2	5.4	7.1	6.3	3.9	5.0	0.7	0.4	0.5
乳房	C50 D05	5	404	409	0.2	17.3	7.6	1.3	95.8	50.2	0.8	79.2	40.8	0.6	61.9	31.8	0.1	6.4	3.3
子宮	C53-C55 D06	-	192	192	-	8.2	3.5	-	45.5	-	-	40.6	-	-	32.4	-	-	3.2	-
子宮頸部	C53 D06	-	117	117	-	5.0	2.2	-	27.7	-	-	28.1	-	-	22.8	-	-	2.1	-
膀胱	C67 D090	135	43	178	4.4	1.8	3.3	34.3	10.2	21.8	18.6	4.4	10.8	12.8	3.1	7.5	1.6	0.4	1.0

*1 粘膜がんを含む

表2. 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

A. 上皮内がんを除く

2007年

性別	部位	ICD-10	年齢階級																																				
			0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上																			
			罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	
男	全部位	C00-C96	3	100.0	2	100.0	3	100.0	6	100.0	2	100.0	4	100.0	10	100.0	22	100.0	40	100.0	78	100.0	97	100.0	259	100.0	316	100.0	364	100.0	495	100.0	618	100.0	382	100.0	260	100.0	
	口腔・咽頭	C00-C14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	9.1	2	5.0	3	3.8	3	3.1	8	3.1	6	1.9	5	1.4	8	1.6	6	1.0	4	1.1	4	1.5	
	食道	C15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	3	3.1	9	3.5	5	1.6	10	2.7	10	2.0	10	1.6	5	1.3	3	1.2	
	胃	C16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.5	14	35.0	18	23.1	25	25.8	62	23.9	74	23.4	86	23.6	83	16.8	107	17.3	61	16.0	55	8.9	26	6.8	21	8.1	
	大腸(結腸・直腸)	C18-C20	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	4	18.2	7	17.5	13	16.7	13	13.4	46	17.8	50	15.8	53	14.6	79	16.0	84	13.6	42	11.0	33	12.7	33	12.7			
	結腸	C18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	13.6	3	7.5	9	11.5	9	9.3	20	7.7	32	8.8	50	10.1	55	8.9	26	6.8	21	5.4	21	7.7			
	直腸	C19-C20	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	4.5	4	10.0	4	5.1	4	4.1	26	10.0	13	4.1	21	5.8	29	5.9	29	4.7	16	4.2	12	4.6	12	4.6			
	肝および肝内胆管	C22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.5	3	7.5	5	6.4	8	8.2	11	4.2	16	5.1	29	8.0	35	7.1	35	5.7	21	5.5	14	5.4			
	胆のう・胆管	C23-C24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.5	4	5.1	2	2.1	6	2.3	4	1.3	13	3.6	15	3.0	24	3.9	11	2.9	11	4.2			
	膵臓	C25	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	2	9.1	1	2.5	2	2.6	1	1.0	10	3.9	13	4.1	17	4.7	27	5.5	18	2.9	19	5.0	14	5.4	14	5.4			
	喉頭	C32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2.1	2	0.8	8	2.5	4	1.1	3	0.6	4	0.7	4	1.1	0	0.0	
	肺	C33-C34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	9.1	3	7.5	3	3.8	11	11.3	34	13.1	48	15.2	42	11.5	87	17.6	130	21.0	86	22.5	44	16.9	44	16.9	
	皮膚	C43-C44	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	20.0	1	4.5	2	5.0	2	2.6	1	1.0	5	1.9	2	0.6	6	1.6	10	2.0	10	1.6	13	3.4	6	2.3	6	2.3	
	乳房	C50	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	1	0.3	0	0.0	0	0.0	2	0.3	0	0.0	0	0.0	0	0.0	
	前立腺	C61	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	6	6.2	20	7.7	44	13.9	56	15.4	80	16.2	100	16.2	56	14.7	32	12.3	32	12.3	
	膀胱	C62	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	2	2.1	7	2.7	8	2.5	13	3.6	21	4.2	24	3.9	15	3.9	10	3.9	
	腎・尿路(膀胱除く)	C64-C66 C68	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	4.5	1	2.5	6	7.7	5	5.2	8	3.1	13	4.1	12	3.0	9	1.8	16	2.6	16	4.2	8	3.1	2	0.8	
	脳・中枢神経系	C70-C72	1	33.3	0	0.0	2	66.7	1	16.7	0	0.0	0	0.0	2	20.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	2	0.5	3	0.6	7	1.1	3	0.8	3	1.2	
	甲状腺	C73	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	13.6	1	2.5	4	5.1	3	3.1	9	3.5	3	0.9	1	0.3	4	0.8	1	0.2	0	0.0	1	0.4	1	0.4	
	悪性リンパ腫	C81-C85 C96	0	0.0	0	0.0	1	33.3	2	33.3	1	50.0	1	25.0	1	10.0	2	9.1	3	7.5	7	9.0	6	6.2	9	3.5	5	1.6	9	1.8	17	2.8	13	3.4	13	3.4	13	3.4	
	多発性骨髄腫	C88-C90	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	3	1.2	3	0.9	4	1.1	2	0.4	5	0.8	3	0.8	2	0.8	
	白血病	C91-C95	2	66.7	2	100.0	0	0.0	1	16.7	0	0.0	1	25.0	0	0.0	0	0.0	1	2.5	2	2.6	3	3.1	1	0.4	2	0.6	2	0.5	6	1.2	8	1.3	3	0.8	2	0.8	
	女	全部位	C00-C96	3	100.0	0	0.0	1	100.0	3	100.0	4	100.0	8	100.0	29	100.0	34	100.0	73	100.0	108	100.0	127	100.0	224	100.0	173	100.0	193	100.0	254	100.0	295	100.0	292	100.0	319	100.0
		口腔・咽頭	C00-C14	0	0.0	0	0.0	0	0.0	1	25.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	2	1.2	5	2.6	1	0.4	2	0.7	4	1.4	3	0.9	3	0.9
		食道	C15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.6	2	0.9	3	1.7	0	0.0	4	1.6	1	0.3	1	0.3	1	0.3	1	0.3
		胃	C16	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5	1	3.4	2	5.9	5	6.8	15	13.9	14	11.0	23	10.3	20	11.6	30	15.5	31	12.2	57	19.3	55	18.8	57	17.9	57	17.9
		大腸(結腸・直腸)	C18-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	6.9	3	8.8	2	2.7	5	4.6	18	14.2	27	12.1	32	18.5	37	19.2	48	18.9	66	22.4	55	18.8	49	15.4	49	15.4
結腸		C18	0	0.0	0	0.0	0	0.0	0	0.0	1	3.4	3	8.8	2	2.7	3	2.8	13	10.2	19	8.5	24	13.9	25	13.0	33	13.0	44	14.9	42	14.4	43	13.5	43	13.5			
直腸		C19-C20	0	0.0	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0	0	0.0	0	0.0	2	1.9	5	3.9	8	3.6	8	4.6	12	6.2	15	5.9	22	7.5	13	4.5	6	1.9	6	1.9	
肝および肝内胆管		C22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.9	2	1.6	10	4.5	8	4.6	11	5.7	24	9.4	25	8.5	18	6.2	16	5.0			
胆のう・胆管		C23-C24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	1.8	6	3.5	2	1.0	6	2.4	15	5.1	24	8.2	29	9.1			
膵臓		C25	0	0.0	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0	0	0.0	0	0.0	2	1.9	4	3.1	5	2.2	10	5.8	12	6.2	16	6.3	12	4.1	20	6.9	23	7.2			
喉頭		C32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	
肺		C33-C34	0	0.0	0	0.0	0	0.0	0	0.0	1	3.4	1	2.9	0	0.0	0	0.0	3	2.8	12	9.4	14	6.3	11	6.4	23	11.9	23	9.1	27	9.2	30	10.3	40	12.5			
皮膚		C43-C44	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2.7	0	0.0	1	0.8	3	1.7	3	1.6	6	2.4	6	2.0	5	1.7	14	4.4			
乳房		C50	0	0.0	0	0.0	0	0.0	1	25.0	2	25.0	12	41.4	17	50.0	33	45.2	49	45.4	32	25.2	51	22.8	35	20.2	31	16.1	28	11.0	28	9.5	16	5.5	18	5.6			
子宮		C53-C55	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5	6	20.																									

表2. 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

B. 上皮内がんを含む

2007年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上																								
			罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)																						
男	全部位	C00-C96 D00-D09	3	100.0	2	100.0	3	100.0	5	100.0	2	100.0	4	100.0	10	100.0	22	100.0	42	100.0	81	100.0	103	100.0	278	100.0	328	100.0	383	100.0	520	100.0	636	100.0	393	100.0	265	100.0						
	食道	C15 D001	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	3.7	3	2.9	9	3.2	5	1.5	13	3.4	11	2.1	10	1.6	5	1.3	3	1.1		
	大腸(結腸・直腸)*1	C18-C20 D010-D012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	4	18.2	9	21.4	16	19.8	15	14.6	59	21.2	60	18.3	66	17.2	91	17.5	97	15.3	46	11.7	34	12.6								
	結腸*1	C18 D010	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	13.6	4	9.5	11	13.6	11	10.7	30	10.8	44	13.4	41	10.7	62	11.9	64	10.1	27	6.9	21	7.9								
	直腸*1	C19-C20 D011-D012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	4.5	5	11.9	5	6.2	4	3.9	29	10.4	16	4.9	25	6.5	29	5.6	33	5.2	19	4.8	13	4.9								
	肺	C33-C34 D021-D022	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	9.1	3	7.1	3	3.7	11	10.7	34	12.2	48	14.6	42	11.0	87	16.7	130	20.4	86	21.9	44	16.6								
	皮膚	C43-C44 D030-D049	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	20.0	1	4.5	2	4.8	2	2.5	1	1.0	5	1.8	2	0.6	6	1.6	11	2.1	10	1.6	14	3.6	8	3.0								
	乳房	C50 D05	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0.4	1	0.3	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0	0	0.0						
	膀胱	C67 D090	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2.5	4	3.9	13	4.7	9	2.7	16	4.2	29	5.6	29	4.6	20	5.1	12	4.5						
	女	全部位	C00-C96 D00-D09	3	100.0	0	0.0	1	100.0	3	100.0	4	100.0	14	100.0	42	100.0	50	100.0	90	100.0	127	100.0	145	100.0	242	100.0	193	100.0	203	100.0	278	100.0	308	100.0	303	100.0	325	100.0					
		食道	C15 D001	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	2	0.8	3	1.6	0	0.0	4	1.4	1	0.3	2	0.7	1	0.3			
大腸(結腸・直腸)*1		C18-C20 D010-D012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.8	5	10.0	4	4.4	8	6.3	23	15.9	34	14.0	35	18.1	44	21.7	62	22.3	76	24.7	59	19.5	52	16.0								
結腸*1		C18 D010	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	4	8.0	4	4.4	5	3.9	16	11.0	25	10.3	26	13.5	28	13.8	44	15.8	51	16.6	45	14.9	43	13.2								
直腸*1		C19-C20 D011-D012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	1	2.0	0	0.0	3	2.4	7	4.8	9	3.7	9	4.7	16	7.9	18	6.5	25	8.1	14	4.6	9	2.8								
肺		C33-C34 D021-D022	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	1	2.0	0	0.0	3	2.4	12	8.3	14	5.8	11	5.7	23	11.3	23	8.3	27	8.8	30	9.9	40	12.3								
皮膚		C43-C44 D030-D049	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	3.3	0	0.0	3	3.3	0	0.0	1	0.7	5	2.1	4	2.1	3	1.5	7	2.5	6	2.0	6	2.0	17	5.2				
乳房		C50 D05	0	0.0	0	0.0	0	0.0	1	25.0	2	14.3	14	33.3	19	38.0	42	46.7	59	46.5	38	26.2	56	23.1	45	23.3	31	15.3	31	11.2	29	9.4	19	6.3	18	5.5								
子宮		C53-C55 D06	0	0.0	0	0.0	0	0.0	0	0.0	7	50.0	17	40.5	17	34.0	17	18.9	19	15.0	18	12.4	31	12.8	24	12.4	13	6.4	9	3.2	5	1.6	9	3.0	6	1.9								
子宮頸部		C53 D06	0	0.0	0	0.0	0	0.0	0	0.0	7	50.0	16	38.1	14	28.0	14	15.6	15	11.8	11	7.6	11	4.5	13	6.7	8	3.9	2	0.7	1	0.3	4	1.3	1	0.3								
膀胱		C67 D090	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.8	1	0.7	2	0.8	3	1.6	3	1.5	13	4.7	4	1.3	9	3.0	7	2.2						
男女計	全部位	C00-C96 D00-D09	6	100.0	2	100.0	4	100.0	9	100.0	6	100.0	18	100.0	52	100.0	72	100.0	132	100.0	208	100.0	248	100.0	520	100.0	521	100.0	586	100.0	798	100.0	944	100.0	696	100.0	590	100.0						
	食道	C15 D001	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	1.4	5	2.0	11	2.1	8	1.5	13	2.2	15	1.9	11	1.2	7	1.0	4	0.7						
	大腸(結腸・直腸)*1	C18-C20 D010-D012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	5.8	9	12.5	13	9.8	24	11.5	38	15.3	93	17.9	95	18.2	110	18.8	153	19.2	173	18.3	105	15.1	86	14.6								
	結腸*1	C18 D010	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	7	9.7	8	6.1	16	7.7	27	10.9	55	10.6	70	13.4	69	11.8	106	13.3	115	12.2	72	10.3	64	10.9								
	直腸*1	C19-C20 D011-D012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	3.8	2	2.8	5	3.8	8	3.8	11	4.4	38	7.3	25	4.8	41	7.0	47	5.9	58	6.1	33	4.7	22	3.7								
	肺	C33-C34 D021-D022	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	3	4.2	3	2.3	6	2.9	23	9.3	48	9.2	59	11.3	65	11.1	110	13.8	157	16.6	116	16.7	84	14.2								
	皮膚	C43-C44 D030-D049	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	3.8	1	1.4	5	3.6	2	1.0	2	0.8	10	1.9	6	1.2	9	1.5	18	2.3	16	1.7	20	2.9	25	4.2								
	乳房	C50 D05	0	0.0	0	0.0	0	0.0	1	16.7	2	11.1	14	26.9	19	26.4	42	31.6	59	28.4	39	15.7	57	11.0	46	8.8	31	5.3	31	3.9	31	3.3	19	2.7	18	3.1								
	子宮	C53-C55 D06	0	0.0	0	0.0	0	0.0	0	0.0	7	38.9	17	32.7	17	23.6	17	12.9	19	9.1	18	7.3	31	6.0	24	4.6	13	2.2	9	1.1	5	0.5	9	1.3	6	1.0								
	子宮頸部	C53 D06	0	0.0	0	0.0	0	0.0	0	0.0	7	38.9	16	30.8	14	19.4	14	10.6	15	7.2	11	4.4	11	2.1	13	2.5	8	1.4	2	0.3	1	0.1	4	0.6	1	0.2								
	膀胱	C67 D090	0	0.0	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0	0	0.0	0	0.0	0	0.0	3	1.4	5	2.0	15	2.9	12	2.3	19	3.2	42	5.3	33	3.5	29	4.2	19	3.2						

*1 粘膜がんを含む

表2. 年齢階級別罹患率（人口10万対）； 部位別、性別
A. 上皮内がんを除く

2007年

性別	部位	年齢階級																			
		100-110	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位	000-036	16.5	9.8	13.8	29.2	10.1	17.6	35.7	81.3	165.0	310.4	369.8	756.3	1,214.3	1,636.5	2,362.4	3,397.0	3,240.3	3,734.0	
	口腔・咽頭	000-014	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	食道	015	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.9	11.4	26.3	29.4	45.0	47.7	54.8	42.4	43.1	
	胃	016	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	57.8	71.6	95.3	181.1	209.4	366.6	356.1	566.4	517.4	715.5	
	大腸（結腸・直腸）	018-020	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	14.8	28.9	51.7	49.6	134.3	201.6	238.3	377.0	460.4	356.3	473.9
	結腸	018	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	12.4	35.8	34.3	58.4	149.2	143.9	238.6	301.4	220.5	301.5	
	直腸	019-020	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.7	16.5	15.3	75.9	52.4	94.4	138.4	159.9	135.7	172.3	
	肝および肝内胆管	022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	12.4	19.9	30.5	32.1	64.5	130.4	167.0	191.8	178.1	201.1	
	胆のう・胆管	023-024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	15.9	13.5	7.6	17.5	16.1	58.4	71.6	53.5	93.8	158.0	
	膵臓	025	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	7.4	4.1	8.0	3.8	28.2	52.4	76.4	128.9	98.7	161.2	201.1
	喉頭	032	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	5.8	32.3	38.0	14.3	21.9	33.9	0.0	
	肺	033-034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	12.4	11.9	41.9	99.3	193.6	188.8	415.2	772.5	729.5	631.9
	気管	033-034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.7	8.3	8.0	3.8	14.6	8.1	27.0	47.7	54.8	110.3	86.2
	乳房	030	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.0	0.0	0.0	11.0	0.0	0.0	
	前立腺	061	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	22.9	58.4	177.4	251.8	381.8	568.1	475.0	459.6	
	膀胱	067	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	8.0	7.6	20.4	32.3	58.4	100.2	131.5	127.2	143.6	
	腎・腎臓（膀胱結<）	064-066 068	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.7	4.1	23.9	19.1	23.4	52.4	53.9	43.0	87.7	135.7	114.9
	脳・中枢神経系	070-072	5.5	0.0	9.2	4.9	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	0.0	4.0	9.0	14.3	38.4	25.4	43.1
	甲状腺	073	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	4.1	15.9	11.4	26.3	12.1	4.5	19.1	5.5	0.0	14.4	
	悪性リンパ腫	091-095 096	0.0	0.0	4.6	9.7	5.0	4.4	4.4	3.6	7.4	12.4	27.9	22.9	26.3	20.2	27.0	43.0	93.2	110.3	186.7
多発性骨髄腫	098-099	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	8.8	12.1	18.0	9.5	27.4	25.4	28.7		
白血病	091-095	11.0	9.8	0.0	4.9	0.0	4.4	4.4	0.0	0.0	4.1	8.0	11.4	2.9	8.1	9.0	28.6	43.8	25.4	28.7	
全部位	000-036	17.3	0.0	4.9	15.4	20.2	35.7	106.8	127.0	293.1	427.3	488.8	653.3	672.9	781.8	966.8	1,288.8	1,528.7	1,610.7		
口腔・咽頭	000-014	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	7.8	20.3	3.9	8.4	20.9	15.1		
食道	015	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	5.8	11.7	0.0	15.7	0.0	5.2	5.0		
胃	016	0.0	0.0	0.0	0.0	0.0	0.0	4.5	3.7	7.5	20.2	59.4	67.1	77.6	121.5	121.7	239.4	287.9	297.8		
大腸（結腸・直腸）	018-020	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	11.2	8.1	19.8	69.0	78.7	124.5	148.9	188.4	277.1	287.9	247.4	
結腸	018	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.2	8.1	11.9	49.8	55.4	93.3	101.3	129.5	184.8	219.9	217.1	
肝および肝内胆管	022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	19.2	23.3	31.1	48.6	58.9	92.4	68.1	30.3	
胆のう・胆管	023-024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
膵臓	025	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	11.7	23.3	31.1	44.6	63.0	125.6	146.4	
喉頭	032	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.6	38.9	48.6	62.8	50.4	104.7	116.1	
肺	033-034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.7	0.0	11.9	46.0	40.8	42.8	93.2	90.3	113.4	157.1	202.0	
気管	033-034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	0.0	3.8	8.7	11.7	12.2	23.5	26.2	28.2	70.7	
乳房	030-034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
子宮	030	0.0	0.0	0.0	0.0	0.0	0.0	5.0	8.9	44.2	63.5	193.4	122.7	148.7	156.1	125.6	109.9	117.6	83.8	90.9	
子宮頸部	033-035	0.0	0.0	0.0	0.0	0.0	0.0	4.5	22.1	18.7	48.5	55.4	42.2	81.7	77.8	48.6	35.3	21.0	47.1	30.3	
卵巣	034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.2	12.1	15.8	26.8	58.3	42.8	20.3	27.5	8.4	15.7	15.1	
卵巣	036	0.0	0.0	0.0	0.0	0.0	0.0	13.4	7.4	7.5	20.2	11.9	34.5	23.3	15.6	8.1	11.8	33.6	15.7	15.1	
子宮体部	033	0.0	0.0	0.0	0.0	0.0	0.0	4.5	18.4	7.5	36.4	39.6	15.3	23.3	35.0	28.4	7.8	4.2	20.9	5.0	
卵巣	034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.2	12.1	15.8	26.8	58.3	42.8	20.3	27.5	8.4	15.7	15.1	
子宮体部	033	0.0	0.0	0.0	0.0	0.0	0.0	4.5	18.4	7.5	36.4	39.6	15.3	23.3	35.0	28.4	7.8	4.2	20.9	5.0	
卵巣	034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.2	12.1	15.8	26.8	58.3	42.8	20.3	27.5	8.4	15.7	15.1	
子宮体部	033	0.0	0.0	0.0	0.0	0.0	0.0	4.5	18.4	7.5	36.4	39.6	15.3	23.3	35.0	28.4	7.8	4.2	20.9	5.0	
卵巣	034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.2	12.1	15.8	26.8	58.3	42.8	20.3	27.5	8.4	15.7	15.1	
子宮体部	033	0.0	0.0	0.0	0.0	0.0	0.0	4.5	18.4	7.5	36.4	39.6	15.3	23.3	35.0	28.4	7.8	4.2	20.9	5.0	
卵巣	034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.2	12.1	15.8	26.8	58.3	42.8	20.3	27.5	8.4	15.7	15.1	
子宮体部	033	0.0	0.0	0.0	0.0	0.0	0.0	4.5	18.4	7.5	36.4	39.6	15.3	23.3	35.0	28.4	7.8	4.2	20.9	5.0	
卵巣	034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.2	12.1	15.8	26.8	58.3	42.8	20.3	27.5	8.4	15.7	15.1	
子宮体部	033	0.0	0.0	0.0	0.0	0.0	0.0	4.5	18.4	7.5	36.4	39.6	15.3	23.3	35.0	28.4	7.8	4.2	20.9	5.0	
卵巣	034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.2	12.1	15.8	26.8	58.3	42.8	20.3	27.5	8.4	15.7	15.1	
子宮体部	033	0.0	0.0	0.0	0.0	0.0	0.0	4.5	18.4	7.5	36.4	39.6	15.3	23.3	35.0	28.4	7.8	4.2	20.9	5.0	
卵巣	034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.2	12.1	15.8	26.8	58.3	42.8	20.3	27.5	8.4	15.7	15.1	
子宮体部	033	0.0	0.0	0.0	0.0	0.0	0.0	4.5	18.4	7.5	36.4	39.6	15.3	23.3	35.0	28.4	7.8	4.2	20.9	5.0	
卵巣	034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.2	12.1	15.8	26.8	58.3	42.8	20.3	27.5	8.4	15.7	15.1	
子宮体部	033	0.0	0.0	0.0	0.0	0.0	0.0	4.5	18.4	7.5	36.4	39.6	15.3	23.3	35.0	28.4	7.8	4.2	20.9	5.0	
卵巣	034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.2	12.1	15.8	26.8	58.3	42.8	20.3	27.5	8.4	15.7	15.1	
子宮体部	033	0.0	0.0	0.0	0.0	0.0	0.0	4.5	18.4	7.5	36.4	39.6	15.3	23.3	35.0	28.4	7.8	4.2	20.9	5.0</	

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

B. 上皮内がんを含む

2007年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位	C00-C96 D00-D09	16.5	9.8	13.8	29.2	10.1	17.6	35.7	81.3	173.3	322.4	392.7	811.8	1,322.7	1,721.9	2,481.7	3,485.7	3,333.6	3,805.8	
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.9	11.4	26.3	20.2	58.4	52.5	54.8	42.4	43.1	
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	3.6	14.8	37.1	63.7	57.2	172.3	242.0	296.7	434.3	531.6	390.2	488.3	
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	16.5	43.8	41.9	87.6	177.4	184.3	295.9	350.8	229.0	301.6	
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.7	20.6	19.9	15.3	84.7	64.5	112.4	138.4	180.9	161.2	186.7	
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	12.4	11.9	41.9	99.3	193.6	188.8	415.2	712.5	729.5	631.9	
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.7	8.3	8.0	3.8	14.6	8.1	27.0	52.5	54.8	118.8	114.9	
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.9	4.0	0.0	0.0	11.0	0.0	0.0
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	8.0	15.3	38.0	36.3	71.9	138.4	158.9	169.6	172.3
	女	全部位	C00-C96 D00-D09	17.3	0.0	4.9	15.4	20.2	62.5	154.7	186.8	363.9	502.5	555.8	705.7	750.7	822.3	1,091.0	1,293.4	1,586.3	1,641.0
食道		C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	5.8	11.7	0.0	15.7	4.2	10.5	5.0	
大腸（結腸・直腸）*1		C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	7.4	18.7	16.2	31.7	88.2	99.2	136.1	178.2	243.3	319.1	308.9	262.6	
結腸 *1		C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	3.7	14.9	16.2	19.8	61.3	72.9	101.1	113.4	172.7	214.2	235.6	217.1	
直腸 *1		C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.7	0.0	11.9	26.8	26.2	35.0	64.8	70.6	105.0	73.3	45.4	
肺		C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.7	0.0	11.9	46.0	40.8	42.8	93.2	90.3	113.4	157.1	202.0	
皮膚		C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.1	0.0	3.8	14.6	15.6	12.2	27.5	25.2	31.4	85.8		
乳房		C50 D05	0.0	0.0	0.0	0.0	5.0	8.9	51.6	71.0	169.8	233.5	145.6	163.3	175.0	125.6	121.7	121.8	99.5	90.9	
子宮		C53-C55 D06	0.0	0.0	0.0	0.0	0.0	31.3	62.6	63.5	68.7	75.2	69.0	90.4	93.3	52.7	35.3	21.0	47.1	30.3	
子宮頸部		C53 D06	0.0	0.0	0.0	0.0	0.0	31.3	58.9	52.3	56.6	59.4	42.2	32.1	50.6	32.4	7.8	4.2	20.9	5.0	
膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.8	5.8	11.7	12.2	51.0	16.8	47.1	35.3		
男女計	全部位	C00-C96 D00-D09	16.9	5.0	9.5	22.5	15.1	39.8	94.3	133.7	269.5	412.7	474.0	758.7	1,031.5	1,248.7	1,718.6	2,244.4	2,253.2	2,204.1	
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	9.6	16.1	15.8	27.7	32.3	26.2	22.7	14.9	
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	5.4	16.7	26.5	47.6	72.6	135.7	188.1	234.4	329.5	411.3	339.9	321.3	
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	1.8	13.0	16.3	31.7	51.6	80.3	138.6	147.0	228.3	273.4	233.1	239.1	
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.7	10.2	15.9	21.0	55.4	49.5	87.4	101.2	137.9	106.8	82.2	
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	1.8	5.6	6.1	11.9	44.0	70.0	116.8	138.5	236.9	373.3	375.5	313.8	
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	3.6	1.9	10.2	4.0	3.8	14.6	11.9	19.2	38.8	38.0	64.7	93.4	
	乳房	C50 D05	0.0	0.0	0.0	0.0	2.5	4.4	25.4	35.3	85.8	117.1	74.5	83.2	91.1	66.1	66.8	73.7	61.5	67.2	
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	6.0	9.6	21.9	23.8	40.5	90.5	78.5	93.9	71.0	

*1 粘膜がんを含む

表4. 発見経緯 (%) ; 部位別

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96	4,959	4.1	7.9	26.7	0.0	61.3
口腔・咽頭	C00-C14	68	0.0	1.5	10.3	0.0	88.2
食道	C15	68	0.0	7.4	25.0	0.0	67.6
胃	C16	877	4.1	14.1	29.0	0.0	52.8
大腸(結腸・直腸)	C18-C20	755	7.3	6.6	22.3	0.0	63.8
結腸	C18	506	7.7	7.3	24.5	0.0	60.5
直腸	C19-C20	249	6.4	5.2	17.7	0.0	70.7
肝および肝内胆管	C22	281	0.0	1.4	52.7	0.0	45.9
胆のう・胆管	C23-C24	169	0.6	3.0	31.4	0.0	65.1
膵臓	C25	220	0.0	1.8	33.2	0.0	65.0
喉頭	C32	28	0.0	3.6	14.3	0.0	82.1
肺	C33-C34	633	2.8	7.0	36.8	0.0	53.4
皮膚	C43-C44	103	0.0	0.0	8.7	0.0	91.3
乳房	C50	354	7.9	6.2	6.5	0.0	79.4
乳房(女性のみ)	C50	351	8.0	6.3	6.6	0.0	79.2
子宮	C53-C55	137	8.8	2.2	13.9	0.0	75.2
子宮頸部	C53	62	8.1	3.2	4.8	0.0	83.9
子宮体部	C54	69	10.1	1.4	17.4	0.0	71.0
卵巣	C56	54	7.4	7.4	18.5	0.0	66.7
前立腺	C61	393	10.7	16.0	24.2	0.0	49.1
膀胱	C67	131	1.5	3.1	16.8	0.0	78.6
腎・尿路(膀胱除く)	C64-C66 C68	138	0.0	10.1	42.0	0.0	47.8
脳・中枢神経系	C70-C72	45	0.0	4.4	13.3	0.0	82.2
甲状腺	C73	127	2.4	18.9	41.7	0.0	37.0
悪性リンパ腫	C81-C85 C96	164	0.6	4.3	14.6	0.0	80.5
多発性骨髄腫	C88-C90	43	0.0	7.0	46.5	0.0	46.5
白血病	C91-C95	63	0.0	7.9	20.6	0.0	71.4

表4. 発見経緯 (%) ; 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96 D00-D09	5,270	4.7	8.3	26.4	0.0	60.7
食道	C15 D001	73	0.0	8.2	27.4	0.0	64.4
大腸 (結腸・直腸) *1	C18-C20 D010-D012	888	8.4	8.8	22.7	0.0	60.0
結腸 *1	C18 D010	599	9.0	9.2	24.9	0.0	56.9
直腸 *1	C19-C20 D011-D012	289	7.3	8.0	18.3	0.0	66.4
肺	C33-C34 D021-D022	633	2.8	7.0	36.8	0.0	53.4
皮膚	C43-C44 D030-D049	116	0.0	0.0	8.6	0.0	91.4
乳房	C50 D05	406	9.9	7.1	6.9	0.0	76.1
乳房 (女性のみ)	C50 D05	402	10.0	7.2	7.0	0.0	75.9
子宮	C53-C55 D06	191	12.6	4.7	13.1	0.0	69.6
子宮頸部	C53 D06	116	14.7	6.9	7.8	0.0	70.7
膀胱	C67 D090	175	1.1	2.3	20.6	0.0	76.0

*1 粘膜がんを含む

表5. 臨床進行度分布 (%) ; 部位別

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96	4,959	46.2	10.8	12.6	17.3	13.0
口腔・咽頭	C00-C14	68	33.8	25.0	26.5	8.8	5.9
食道	C15	68	26.5	11.8	22.1	26.5	13.2
胃	C16	877	58.2	11.7	8.1	14.6	7.4
大腸(結腸・直腸)	C18-C20	755	42.0	18.3	10.7	22.3	6.8
結腸	C18	506	40.5	17.6	11.3	24.3	6.3
直腸	C19-C20	249	45.0	19.7	9.6	18.1	7.6
肝および肝内胆管	C22	281	63.7	2.1	13.5	8.5	12.1
胆のう・胆管	C23-C24	169	31.4	6.5	30.2	20.1	11.8
膵臓	C25	220	13.6	4.1	31.8	40.9	9.5
喉頭	C32	28	78.6	14.3	3.6	3.6	0.0
肺	C33-C34	633	31.1	11.5	13.7	31.1	12.5
皮膚	C43-C44	103	85.4	3.9	1.9	1.0	7.8
乳房	C50	354	55.9	30.8	4.2	6.8	2.3
乳房(女性のみ)	C50	351	56.1	30.8	4.3	6.8	2.0
子宮	C53-C55	137	56.2	5.1	23.4	8.8	6.6
子宮頸部	C53	62	53.2	8.1	35.5	3.2	0.0
子宮体部	C54	69	63.8	2.9	13.0	13.0	7.2
卵巣	C56	54	35.2	0.0	33.3	13.0	18.5
前立腺	C61	393	66.2	0.8	10.4	12.2	10.4
膀胱	C67	131	63.4	3.1	12.2	6.9	14.5
腎・尿路(膀胱除く)	C64-C66 C68	138	58.7	2.9	15.9	15.9	6.5
脳・中枢神経系	C70-C72	45	22.2	0.0	4.4	0.0	73.3
甲状腺	C73	127	59.8	24.4	15.0	0.8	0.0
悪性リンパ腫	C81-C85 C96	164	15.9	0.0	6.1	22.6	55.5
多発性骨髄腫	C88-C90	43	4.7	0.0	0.0	0.0	95.3
白血病	C91-C95	63	0.0	0.0	0.0	0.0	100.0

表5. 臨床進行度分布 (%) ; 部位別

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	上皮内がん	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96 D00-D09	5,270	5.9	43.5	10.2	11.8	16.3	12.3
食道	C15 D001	73	6.8	24.7	11.0	20.5	24.7	12.3
大腸 (結腸・直腸) *1	C18-C20 D010-D012	888	14.9	35.7	15.5	9.1	18.9	5.9
結腸 *1	C18 D010	599	15.4	34.2	14.9	9.5	20.5	5.5
直腸 *1	C19-C20 D011-D012	289	13.8	38.8	17.0	8.3	15.6	6.6
肺	C33-C34 D021-D022	633	0.0	31.1	11.5	13.7	31.1	12.5
皮膚	C43-C44 D030-D049	116	11.2	75.9	3.4	1.7	0.9	6.9
乳房	C50 D05	406	12.8	48.8	26.8	3.7	5.9	2.0
乳房 (女性のみ)	C50 D05	402	12.7	49.0	26.9	3.7	6.0	1.7
子宮	C53-C55 D06	191	28.3	40.3	3.7	16.8	6.3	4.7
子宮頸部	C53 D06	116	46.6	28.4	4.3	19.0	1.7	0.0
膀胱	C67 D090	175	24.6	47.4	2.3	9.1	5.1	11.4

*1 粘膜がんを含む

表6. 受療割合 (%) ; 部位別 *1

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96	4,959	58.3	12.0	41.6	17.0
口腔・咽頭	C00-C14	68	60.3	60.3	55.9	8.8
食道	C15	68	32.4	47.1	57.4	16.2
胃	C16	877	77.3	0.3	23.9	15.3
大腸（結腸・直腸）	C18-C20	755	88.1	1.2	34.7	9.5
結腸	C18	506	87.2	0.6	33.6	10.3
直腸	C19-C20	249	90.0	2.4	36.9	8.0
肝および肝内胆管	C22	281	13.5	0.7	34.2	26.7
胆のう・胆管	C23-C24	169	55.0	3.0	29.6	24.9
膵臓	C25	220	32.3	9.5	55.9	23.2
喉頭	C32	28	42.9	82.1	60.7	7.1
肺	C33-C34	633	31.0	18.5	39.8	30.8
皮膚	C43-C44	103	87.4	3.9	10.7	8.7
乳房	C50	354	92.4	35.0	82.8	3.1
乳房（女性のみ）	C50	351	92.6	35.3	82.9	2.8
子宮	C53-C55	137	70.1	24.8	42.3	10.9
子宮頸部	C53	62	62.9	50.0	56.5	3.2
子宮体部	C54	69	81.2	4.3	31.9	13.0
卵巣	C56	54	75.9	0.0	59.3	14.8
前立腺	C61	393	24.7	22.6	61.6	13.2
膀胱	C67	131	77.1	9.9	38.2	15.3
腎・尿路（膀胱除く）	C64-C66 C68	138	71.7	2.2	29.7	16.7
脳・中枢神経系	C70-C72	45	57.8	51.1	37.8	35.6
甲状腺	C73	127	90.6	5.5	5.5	7.9
悪性リンパ腫	C81-C85 C96	164	18.9	11.6	67.1	17.7
多発性骨髄腫	C88-C90	43	0.0	9.3	65.1	34.9
白血病	C91-C95	63	0.0	0.0	65.1	30.2

*1 重複を含むため合計は100%にならない

表6. 受療割合 (%) ; 部位別 *1

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96 D00-D09	5,270	60.4	11.8	39.6	16.2
食道	C15 D001	73	37.0	43.8	53.4	15.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	888	89.6	1.0	29.6	8.3
結腸 *2	C18 D010	599	89.0	0.5	28.4	8.8
直腸 *2	C19-C20 D011-D012	289	91.0	2.1	32.2	7.3
肺	C33-C34 D021-D022	633	31.0	18.5	39.8	30.8
皮膚	C43-C44 D030-D049	116	87.9	3.4	9.5	8.6
乳房	C50 D05	406	93.1	37.7	75.6	3.0
乳房（女性のみ）	C50 D05	402	93.3	38.1	75.9	2.7
子宮	C53-C55 D06	191	74.3	17.8	30.4	8.9
子宮頸部	C53 D06	116	73.3	26.7	30.2	3.4
膀胱	C67 D090	175	81.1	7.4	33.1	12.6

*1 重複を含むため合計は100%にならない

*2 粘膜がんを含む

表7. 切除内容 (%) ; 部位別

A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2007年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96	2,890	75.6	10.3	5.3	5.6	3.2
口腔・咽頭	C00-C14	41	53.7	7.3	26.8	9.8	2.4
食道	C15	22	72.7	4.5	4.5	9.1	9.1
胃	C16	678	81.4	8.7	2.9	3.8	3.1
大腸（結腸・直腸）	C18-C20	665	75.0	12.8	3.3	6.2	2.7
結腸	C18	441	73.5	13.6	3.9	6.1	2.9
直腸	C19-C20	224	78.1	11.2	2.2	6.3	2.2
肝および肝内胆管	C22	38	65.8	2.6	5.3	21.1	5.3
胆のう・胆管	C23-C24	93	50.5	14.0	7.5	25.8	2.2
膵臓	C25	71	43.7	9.9	2.8	36.6	7.0
喉頭	C32	12	33.3	0.0	58.3	8.3	0.0
肺	C33-C34	196	87.2	6.6	2.0	1.5	2.6
皮膚	C43-C44	90	87.8	3.3	5.6	1.1	2.2
乳房	C50	327	88.7	5.2	4.0	0.3	1.8
乳房（女性のみ）	C50	325	88.6	5.2	4.0	0.3	1.8
子宮	C53-C55	96	81.3	9.4	6.3	0.0	3.1
子宮頸部	C53	39	82.1	7.7	5.1	0.0	5.1
子宮体部	C54	56	82.1	8.9	7.1	0.0	1.8
卵巣	C56	41	56.1	24.4	9.8	2.4	7.3
前立腺	C61	97	69.1	17.5	4.1	3.1	6.2
膀胱	C67	101	62.4	13.9	10.9	5.0	7.9
腎・尿路（膀胱除く）	C64-C66 C68	99	85.9	5.1	4.0	2.0	3.0
脳・中枢神経系	C70-C72	26	26.9	46.2	15.4	7.7	3.8
甲状腺	C73	115	80.0	7.8	9.6	0.9	1.7
悪性リンパ腫	C81-C85 C96	31	35.5	29.0	22.6	12.9	0.0
多発性骨髄腫	C88-C90	0
白血病	C91-C95	0

表7. 切除内容(%) ; 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2007年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96 D00-D09	3,185	77.4	9.5	5.0	5.1	3.0
食道	C15 D001	27	66.7	3.7	14.8	7.4	7.4
大腸(結腸・直腸)*1	C18-C20 D010-D012	796	78.1	11.1	3.1	5.2	2.5
結腸 *1	C18 D010	533	77.1	11.4	3.6	5.1	2.8
直腸 *1	C19-C20 D011-D012	263	80.2	10.3	2.3	5.3	1.9
肺	C33-C34 D021-D022	196	87.2	6.6	2.0	1.5	2.6
皮膚	C43-C44 D030-D049	102	89.2	2.9	4.9	1.0	2.0
乳房	C50 D05	378	89.2	5.0	3.4	0.8	1.6
乳房(女性のみ)	C50 D05	375	89.1	5.1	3.5	0.8	1.6
子宮	C53-C55 D06	142	87.3	6.3	4.2	0.0	2.1
子宮頸部	C53 D06	85	91.8	3.5	2.4	0.0	2.4
膀胱	C67 D090	142	72.5	9.9	8.5	3.5	5.6

*1 粘膜がんを含む

表8. 精度指標； 部位別、性別

A. 上皮内がんを除く

2007年

部位	ICD-10	罹患/死亡比 (ID比)			死亡情報で初めて把握された症例 DCN (%)			死亡情報のみの症例 DCO (%)			国際 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96	2.22	2.26	2.24	11.5	14.3	12.6	2.6	3.0	2.8	2.3	2.9	2.5	84.1	81.8	83.1	78.4	75.7	77.2
口腔・咽頭	C00-C14	2.68	1.58	2.26	7.8	10.5	8.6	2.0	5.3	2.9	2.0	5.3	2.9	98.0	89.5	95.7	92.2	89.5	91.4
食道	C15	1.32	2.00	1.41	13.8	14.3	13.9	5.2	7.1	5.6	5.2	7.1	5.6	93.1	92.9	93.1	93.1	85.7	91.7
胃	C16	2.93	2.02	2.53	7.0	15.8	10.0	1.4	3.5	2.1	1.4	3.2	2.0	95.0	90.0	93.3	93.7	88.7	92.0
大腸 (結腸・直腸)	C18-C20	3.32	2.59	2.95	7.3	11.9	9.4	1.2	2.6	1.8	1.2	2.6	1.8	95.5	91.0	93.5	94.8	89.8	92.6
結腸	C18	2.94	2.36	2.62	7.9	13.9	10.8	1.5	2.8	2.1	1.5	2.8	2.1	94.0	88.9	91.5	92.8	88.1	90.5
直腸	C19-C20	4.21	3.54	3.94	6.3	6.5	6.3	0.6	2.2	1.2	0.6	2.2	1.2	98.1	96.7	97.6	98.1	94.6	96.8
肝および肝内胆管	C22	1.56	1.49	1.53	15.2	19.1	16.7	3.4	5.2	4.1	3.4	5.2	4.1	16.9	19.1	17.7	16.3	16.5	16.4
胆のう・胆管	C23-C24	1.28	1.15	1.21	19.8	29.1	24.3	3.3	5.8	4.5	3.3	5.8	4.5	61.5	46.5	54.2	56.0	40.7	48.6
膵臓	C25	1.28	1.40	1.33	8.8	18.1	13.0	0.8	8.6	4.3	0.8	8.6	4.3	50.4	40.0	45.7	40.8	33.3	37.4
喉頭	C32	5.40	...	5.60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0
肺	C33-C34	1.40	1.57	1.45	23.1	23.2	23.1	6.7	4.9	6.2	5.9	3.8	5.3	76.7	76.2	76.6	53.9	50.8	53.0
皮膚	C43-C44	12.00	21.50	14.71	3.3	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0
乳房	C50	...	5.52	5.58	25.0	3.1	3.4	25.0	0.6	0.8	25.0	0.6	0.8	75.0	97.5	97.2	75.0	93.5	93.3
子宮	C53-C55	-	3.37	3.37	-	9.4	9.4	-	0.7	0.7	-	0.7	0.7	-	94.9	94.9	-	89.9	89.9
子宮頸部	C53	-	3.32	3.32	-	6.3	6.3	-	1.6	1.6	-	1.6	1.6	-	98.4	98.4	-	95.2	95.2
子宮体部	C54	-	6.27	6.27	-	5.8	5.8	-	0.0	0.0	-	0.0	0.0	-	95.7	95.7	-	89.9	89.9
卵巣	C56	-	2.29	2.29	-	12.7	12.7	-	1.8	1.8	-	1.8	1.8	-	89.1	89.1	-	81.8	81.8
前立腺	C61	4.95	-	4.95	6.3	-	6.3	0.8	-	0.8	0.0	-	0.0	98.7	-	98.7	98.7	-	98.7
膀胱	C67	3.03	2.21	2.79	11.7	16.1	12.7	1.9	3.2	2.2	1.9	3.2	2.2	93.2	83.9	91.0	86.4	74.2	83.6
腎・尿路 (膀胱除く)	C64-C66 C68	2.74	2.32	2.59	10.4	15.9	12.1	1.0	2.3	1.4	1.0	2.3	1.4	84.4	79.5	82.9	81.3	72.7	78.6
脳・中枢神経系	C70-C72	4.17	7.33	5.22	20.0	45.5	31.9	4.0	4.5	4.3	4.0	4.5	4.3	76.0	40.9	59.6	72.0	40.9	57.4
甲状腺	C73	10.00	12.25	11.64	3.3	1.0	1.6	3.3	0.0	0.8	3.3	0.0	0.8	96.7	100.0	99.2	90.0	82.7	84.4
悪性リンパ腫	C81-C85 C96	2.29	2.08	2.19	7.3	22.7	14.0	3.1	5.3	4.1	3.1	5.3	4.1	92.7	81.3	87.7	91.7	78.7	86.0
多発性骨髄腫	C88-C90	1.10	1.47	1.25	30.4	18.2	24.4	4.3	4.5	4.4	4.3	4.5	4.4	87.0	81.8	84.4	78.3	81.8	80.0
白血病	C91-C95	1.06	1.04	1.05	13.9	42.9	26.6	0.0	3.6	1.6	0.0	0.0	0.0	100.0	100.0	100.0	80.6	82.1	81.3

表8. 精度指標； 部位別、性別

B. 上皮内がんを含む

2007年

部位	ICD-10	罹患/死亡比 (ID比)			死亡情報で初めて把握された症例 DCN (%)			死亡情報のみの症例 DCO (%)			国際 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96 D00-D09	2.31	2.47	2.38	11.0	13.1	11.9	2.5	2.8	2.6	2.2	2.6	2.4	84.7	83.3	84.1	79.2	77.6	78.5
食道	C15 D001	1.41	2.14	1.51	12.9	13.3	13.0	4.8	6.7	5.2	4.8	6.7	5.2	93.5	93.3	93.5	93.5	86.7	92.2
大腸 (結腸・直腸) *1	C18-C20 D010-D012	3.89	3.04	3.46	6.2	10.1	8.0	1.0	2.2	1.6	1.0	2.2	1.6	96.2	92.3	94.5	95.6	91.1	93.6
結腸 *1	C18 D010	3.53	2.73	3.10	6.6	12.0	9.2	1.3	2.4	1.8	1.3	2.4	1.8	95.0	90.4	92.8	94.0	89.4	91.8
直腸 *1	C19-C20 D011-D012	4.74	4.31	4.56	5.6	5.4	5.5	0.6	1.8	1.0	0.6	1.8	1.0	98.3	97.3	97.9	98.3	95.5	97.3
肺	C33-C34 D021-D022	1.40	1.57	1.45	23.1	23.2	23.1	6.7	4.9	6.2	5.9	3.8	5.3	76.7	76.2	76.6	53.9	50.8	53.0
皮膚	C43-C44 D030-D049	12.80	26.00	16.57	3.1	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0
乳房	C50 D05	...	6.31	6.39	20.0	2.7	2.9	20.0	0.5	0.7	20.0	0.5	0.7	80.0	97.8	97.6	80.0	94.3	94.1
子宮	C53-C55 D06	-	4.68	4.68	-	6.8	6.8	-	0.5	0.5	-	0.5	0.5	-	96.4	96.4	-	92.7	92.7
子宮頸部	C53 D06	-	6.16	6.16	-	3.4	3.4	-	0.9	0.9	-	0.9	0.9	-	99.1	99.1	-	97.4	97.4
膀胱	C67 D090	3.97	3.07	3.71	8.9	11.6	9.6	1.5	2.3	1.7	1.5	2.3	1.7	94.8	88.4	93.3	89.6	81.4	87.6

*1 粘膜がんを含む

表9. 死亡数、死亡割合(%)、粗死亡率、年齢調整死亡率(人口10万対)および累積死亡率(人口100対)； 部位別、性別

2007年

部位	ICD-10	死亡数			死亡割合(%)			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	日本人人口			世界人口			男	女	男女計
											男	女	男女計	男	女	男女計			
全部位	C00-C97	1,333	945	2,278	100.0	100.0	100.0	342.4	227.7	283.2	177.3	89.1	126.2	120.3	62.4	86.9	12.6	6.3	9.2
口腔・咽頭	C00-C14	19	12	31	1.4	1.3	1.4	4.9	2.9	3.9	2.8	1.1	1.9	2.0	0.7	1.3	0.2	0.1	0.1
食道	C15	44	7	51	3.3	0.7	2.2	11.3	1.7	6.3	6.1	0.7	3.1	4.0	0.5	2.1	0.5	0.1	0.3
胃	C16	200	154	354	15.0	16.3	15.5	51.4	37.1	44.0	25.7	12.8	18.1	17.6	9.0	12.5	1.9	0.8	1.3
大腸(結腸・直腸)	C18-C20	128	133	261	9.6	14.1	11.5	32.9	32.0	32.4	17.6	11.9	14.4	12.1	8.0	9.9	1.4	0.8	1.1
結腸	C18	90	107	197	6.8	11.3	8.6	23.1	25.8	24.5	12.5	9.0	10.7	8.8	6.0	7.3	1.1	0.6	0.8
直腸	C19-C20	38	26	64	2.9	2.8	2.8	9.8	6.3	8.0	5.0	2.8	3.7	3.3	2.0	2.6	0.3	0.2	0.3
肝および肝内胆管	C22	114	77	191	8.6	8.1	8.4	29.3	18.6	23.7	16.7	7.2	11.7	11.8	4.8	8.1	1.5	0.6	1.0
胆のう・胆管	C23-C24	71	75	146	5.3	7.9	6.4	18.2	18.1	18.2	8.9	5.1	6.8	5.8	3.3	4.4	0.5	0.3	0.4
膵臓	C25	98	75	173	7.4	7.9	7.6	25.2	18.1	21.5	14.2	6.7	10.1	10.1	4.6	7.1	1.1	0.5	0.8
喉頭	C32	5	0	5	0.4	0.0	0.2	1.3	0.0	0.6	0.7	0.0	0.3	0.5	0.0	0.2	0.0	0.0	0.0
肺	C33-C34	349	118	467	26.2	12.5	20.5	89.6	28.4	58.1	44.2	10.0	24.6	28.6	6.8	16.2	2.8	0.7	1.7
皮膚	C43-C44	5	2	7	0.4	0.2	0.3	1.3	0.5	0.9	0.6	0.4	0.4	0.4	0.3	0.3	0.0	0.0	0.0
乳房	C50	0	64	64	0.0	6.8	2.8	0.0	15.4	8.0	0.0	9.7	5.1	0.0	7.4	3.8	0.0	0.8	0.4
子宮	C53-C55	-	41	41	-	4.3	1.8	-	9.9	-	-	5.1	-	-	3.8	-	-	0.4	-
子宮頸部	C53	-	19	19	-	2.0	0.8	-	4.6	-	-	3.0	-	-	2.3	-	-	0.2	-
子宮体部	C54	-	11	11	-	1.2	0.5	-	2.7	-	-	1.3	-	-	1.0	-	-	0.1	-
卵巣	C56	-	24	24	-	2.5	1.1	-	5.8	-	-	3.4	-	-	2.5	-	-	0.3	-
前立腺	C61	80	-	80	6.0	-	3.5	20.5	-	-	9.1	-	-	5.9	-	-	0.5	-	-
膀胱	C67	34	14	48	2.6	1.5	2.1	8.7	3.4	6.0	3.7	1.0	2.0	2.2	0.6	1.2	0.1	0.0	0.1
腎・尿路(膀胱除く)	C64-C66 C68	35	19	54	2.6	2.0	2.4	9.0	4.6	6.7	5.0	1.2	2.9	3.5	0.7	2.0	0.4	0.0	0.2
脳・中枢神経系	C70-C72	6	3	9	0.5	0.3	0.4	1.5	0.7	1.1	1.0	0.9	0.9	0.9	0.9	0.9	0.1	0.1	0.1
甲状腺	C73	3	8	11	0.2	0.8	0.5	0.8	1.9	1.4	0.4	0.7	0.6	0.3	0.4	0.4	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	42	36	78	3.2	3.8	3.4	10.8	8.7	9.7	5.4	2.7	3.9	3.8	1.8	2.6	0.3	0.2	0.2
多発性骨髄腫	C88-C90	21	15	36	1.6	1.6	1.6	5.4	3.6	4.5	2.8	1.4	2.0	1.9	1.0	1.4	0.3	0.1	0.2
白血病	C91-C95	34	27	61	2.6	2.9	2.7	8.7	6.5	7.6	5.6	2.8	4.1	4.0	2.0	2.9	0.4	0.2	0.3

表12. 5年相対生存率(%) *1

2004年

A. 部位別、性別

部位	ICD-10	男			女			男女計		
		対象者数	5年相対生存率(%)	標準誤差	対象者数	5年相対生存率(%)	標準誤差	対象者数	5年相対生存率(%)	標準誤差
全部位	C00-C96	1,875	60.1	1.4	1,380	62.5	1.5	3,255	61.1	1.0
口腔・咽頭	C00-C14	23	67.6	11.7	13	41.1	14.6	36	57.6	9.4
食道	C15	50	38.1	7.5	12	62.2	15.8	62	43.2	6.9
胃	C16	476	71.4	2.6	245	69.2	3.5	721	70.9	2.1
大腸（結腸・直腸）*2	C18-C20	282	69.7	3.6	195	65.3	4.1	477	67.9	2.7
結腸	C18	192	70.2	4.3	143	68.6	4.7	335	69.5	3.2
直腸	C19-C20	90	68.6	6.2	52	56.6	7.9	142	64.0	4.9
肝および肝内胆管	C22	125	31.9	4.8	82	29.1	5.5	207	30.9	3.6
胆のう・胆管	C23-C24	57	16.3	5.8	56	28.1	6.7	113	22.9	4.5
膵臓	C25	73	3.0	2.1	70	7.8	3.4	143	5.4	2.0
喉頭	C32	11	76.3	15.1	0	11	76.3	15.1
肺	C33-C34	221	28.2	3.4	119	41.9	4.9	340	33.1	2.8
皮膚	C43-C44	19	92.2	13.4	16	77.0	13.8	35	85.0	9.7
乳房	C50	5	68.6	29.1	253	92.5	2.2	258	92.3	2.2
子宮	C53-C55	-	-	-	70	69.5	6.0	70	69.5	6.0
子宮頸部	C53	-	-	-	47	68.4	7.3	47	68.4	7.3
子宮体部	C54	-	-	-	19	78.8	10.1	19	78.8	10.1
卵巣	C56	-	-	-	36	61.7	8.6	36	61.7	8.6
前立腺	C61	220	95.7	3.6	-	-	-	220	95.7	3.6
膀胱	C67	87	82.9	6.4	26	64.8	11.1	113	79.5	5.6
腎・尿路（膀胱除く）	C64-C66 C68	62	68.2	7.7	32	72.4	8.9	94	70.4	5.9
脳・中枢神経系	C70-C72	8	51.5	19.2	7	71.8	17.3	15	61.1	13.2
甲状腺	C73	19	71.0	11.3	47	91.0	4.6	66	85.3	4.8
悪性リンパ腫	C81-C85 C96	58	51.8	8.0	44	66.2	8.0	102	58.2	5.8
多発性骨髄腫	C88-C90	14	40.0	14.8	11	29.1	14.6	25	36.0	10.5
白血病	C91-C95	16	46.1	13.2	15	15.1	10.0	31	31.6	8.9
小児がん		4	50.0	25.0	2	50.0	35.4	6	50.0	20.4

*1 補充届出患者を含まない

*2 粘膜がんを含まない

表12. 5年相対生存率(%) *1
B. 主要部位別、性別、臨床進行度別

2004年

部位	ICD-10	臨床進行度	男			女			男女計		
			対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差
全部位	C00-C96	限局	937	90.5	1.7	660	89.8	1.6	1,597	90.3	1.2
		遠隔	437	38.6	2.7	351	53.5	2.9	788	45.5	2.0
		不明	348	10.4	1.8	233	9.6	2.0	581	10.1	1.4
		合計	1,533	45.0	4.8	1,366	41.8	4.7	2,899	43.4	3.4
胃	C16	合計	1,875	60.1	1.4	1,380	62.5	1.5	3,255	61.1	1.0
		限局	276	97.4	2.5	139	98.5	2.5	415	98.7	1.8
		遠隔	114	46.6	5.4	49	40.3	7.8	163	44.6	4.5
		不明	70	3.4	2.4	48	7.0	4.0	118	5.0	2.2
		合計	456	60.8	15.7	302	30.2	19.3	758	52.8	13.1
大腸(結腸・直腸)*2	C18-C20	合計	476	71.4	2.6	245	69.2	3.5	721	70.9	2.1
		限局	129	99.3	3.8	83	97.0	4.3	212	98.5	2.8
		遠隔	81	62.5	6.8	56	62.8	7.4	137	62.7	5.0
		不明	59	12.8	4.9	49	4.4	3.0	108	8.7	2.9
		合計	268	48.6	17.1	188	48.4	21.2	456	62.7	14.0
結腸	C18	合計	282	69.7	3.6	195	65.3	4.1	477	67.9	2.7
		限局	88	98.8	4.7	64	97.6	4.3	152	99.5	3.3
		遠隔	50	68.6	8.6	42	60.5	8.6	92	65.5	6.1
		不明	43	9.2	5.0	33	6.5	4.4	76	7.9	3.4
		合計	181	46.2	18.4	139	57.9	35.3	320	52.3	16.6
直腸	C19-C20	合計	192	70.2	4.3	143	68.6	4.7	335	69.5	3.2
		限局	41	95.6	6.0	19	85.5	11.1	60	94.0	5.5
		遠隔	31	47.6	10.6	14	61.9	14.3	45	52.1	8.6
		不明	16	21.0	11.3	16	0.0	0.0	32	10.3	5.8
		合計	88	53.8	43.1	49	100.0	0.0	97	83.0	20.1
肝および肝内胆管	C22	合計	90	68.6	6.2	52	56.6	7.9	142	64.0	4.9
		限局	90	39.2	6.0	65	35.0	6.5	155	37.5	4.4
		遠隔	13	8.6	8.7	10	0.0	0.0	23	4.9	5.0
		不明	17	0.0	0.0	3	0.0	0.0	20	0.0	0.0
		合計	120	63.3	25.2	78	26.3	23.9	198	48.1	18.9
肺	C33-C34	合計	125	31.9	4.8	82	29.1	5.5	207	30.9	3.6
		限局	50	82.9	7.7	45	91.1	6.3	95	86.8	5.0
		遠隔	76	15.7	4.6	27	20.1	8.1	103	16.8	4.0
		不明	75	2.9	2.0	36	6.0	4.4	111	4.0	2.0
		合計	201	32.7	12.7	111	10.2	9.8	227	24.9	9.1
乳房	C50	合計	221	28.2	3.4	119	41.9	4.9	340	33.1	2.8
		限局	1	0.0	0.0	141	99.1	1.6	142	99.2	1.8
		遠隔	4	76.3	23.6	79	93.4	3.8	83	92.8	3.8
		不明	0	16	29.6	12.4	16	29.6	12.4
		合計	5	17	69.4	12.6	17	69.4	12.6
子宮	C53-C55	合計	5	68.6	29.1	253	92.5	2.2	258	92.3	2.2
		限局	-	-	-	38	94.7	4.5	38	94.7	4.5
		遠隔	-	-	-	18	50.2	12.8	18	50.2	12.8
		不明	-	-	-	5	0.0	0.0	5	0.0	0.0
		合計	-	-	-	61	81.6	16.7	61	81.6	16.7
子宮頸部	C53	合計	-	-	-	70	69.5	6.0	70	69.5	6.0
		限局	-	-	-	24	96.9	4.2	24	96.9	4.2
		遠隔	-	-	-	15	52.9	14.1	15	52.9	14.1
		不明	-	-	-	3	0.0	0.0	3	0.0	0.0
		合計	-	-	-	42	81.6	16.7	42	81.6	16.7
子宮体部	C54	合計	-	-	-	47	68.4	7.3	47	68.4	7.3
		限局	-	-	-	12	92.0	8.1	12	92.0	8.1
		遠隔	-	-	-	2	51.9	37.2	2	51.9	37.2
		不明	-	-	-	1	0.0	0.0	1	0.0	0.0
		合計	-	-	-	15	81.6	29.7	15	81.6	29.7
前立腺	C61	合計	-	-	-	19	78.8	10.1	19	78.8	10.1
		限局	155	99.9	3.4	155	99.9	3.4	155	99.9	3.4
		遠隔	16	93.2	10.1	16	93.2	10.1	16	93.2	10.1
		不明	35	47.4	11.0	35	47.4	11.0	35	47.4	11.0
		合計	206	80.5	16.5	206	80.5	16.5	206	80.5	16.5

*1 補充腫出患者を含まない
*2 粘膜炎を含まない

付表1. がん罹患数および罹患率； 詳細部位別、性別

2007年

国際疾病分類	10D-10	罹患数		割合(%)		相対危険率		日本人人口		世界人口		県別罹患率(0-14歳)							
		男	女	男	女	男	女	男	女	男	女	男	女						
														男	女	男	女	男	女
上気道がん																			
全部位	000-009	120	191	311	4.1	8.9	6.1	30.5	45.3	38.2	18.4	38.1	28.0	13.3	30.0	21.5	1.8	3.1	2.4
口腔、鼻咽および喉	000	5	1	6	0.2	0.0	0.1	1.3	0.2	0.7	0.7	0.1	0.4	0.5	0.0	0.3	0.1	0.0	0.0
食道	0001	4	1	5	0.1	0.0	0.1	1.0	0.2	0.6	0.6	0.1	0.3	0.5	0.0	0.3	0.1	0.0	0.0
その他の上気道がんの部位群	001	74	62	136	2.5	2.9	2.7	18.8	14.7	16.7	11.8	9.0	10.3	8.7	6.6	7.6	1.1	0.8	1.0
肺がん	0010	53	40	93	1.8	1.9	1.8	13.5	9.5	11.4	8.5	6.0	7.2	6.3	4.4	5.3	0.9	0.6	0.7
直腸肛門結核痔瘻	0011	2	1	3	0.1	0.0	0.1	0.5	0.2	0.4	0.3	0.2	0.2	0.3	0.1	0.2	0.0	0.0	0.0
直腸	0012	18	19	37	0.6	0.9	0.7	4.6	4.5	4.5	2.8	2.6	2.7	2.0	1.9	2.0	0.2	0.2	0.2
中位および低位直腸系	002	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
鼻咽	0021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鼻咽および口腔	0022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上気道癌群	003	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鼻咽のその他	004	4	8	12	0.1	0.4	0.2	1.0	1.9	1.5	0.4	0.9	0.6	0.3	0.7	0.5	0.0	0.1	0.0
鼻咽	005	1	51	52	0.0	2.4	1.0	0.3	12.1	6.4	0.2	11.5	5.9	0.2	9.1	4.7	0.0	0.9	0.5
子宮頸癌	006	-	54	54	-	2.5	1.1	-	12.8	6.6	-	14.6	7.3	-	12.1	6.0	-	1.0	0.5
その他の上気道がんの部位群	007	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0
喉頭	009	35	13	48	1.2	0.6	0.9	8.9	3.1	5.9	5.0	1.7	3.2	3.5	1.3	2.3	0.5	0.2	0.3
喉頭	0090	32	12	44	1.1	0.6	0.9	8.1	2.8	5.4	4.5	1.6	2.9	3.0	1.2	2.0	0.4	0.2	0.3
扁桃腺腫瘍																			
扁桃腺	032	6	21	27	0.2	1.0	0.5	1.5	5.0	3.3	0.8	3.0	2.0	0.6	2.2	1.4	0.1	0.3	0.2
扁桃腺および中咽頭腫瘍	033	2	2	4	0.1	0.1	0.1	0.5	0.5	0.5	0.4	0.4	0.4	0.5	0.3	0.4	0.0	0.0	0.0
下咽頭、咽頭腫瘍、食道癌	035-0354	5	9	14	0.2	0.4	0.3	1.3	2.1	1.7	1.4	1.8	1.6	1.2	1.4	1.3	0.1	0.1	0.1
注：行末には空欄の箇所																			
皮膚																			
皮膚	042	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.3	0.1	0.0	0.2	0.1	0.0	0.0	0.0
乳房および中咽頭腫瘍	043	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.4	0.0	0.2	0.4	0.0	0.2	0.0	0.0	0.0
下咽頭、咽頭腫瘍、食道癌	044-0445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性系血液増多症	045	3	1	4	0.1	0.0	0.1	0.8	0.2	0.5	0.6	0.2	0.4	0.4	0.1	0.3	0.0	0.0	0.0
骨髄異形成症群	046	37	24	61	1.2	1.1	1.2	9.4	5.7	7.5	5.2	2.8	3.9	3.5	2.2	2.8	0.4	0.2	0.3
悪性骨髄腫(低悪性)*1	047	2	2	4	0.1	0.1	0.1	0.5	0.5	0.5	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0

*1 10D-0-3により性状3に分類される形態

付表3. 受療割合詳細 (%) ; 部位別

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	単独療法							併用療法 *1							不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	切除+薬物	薬物+放射線	薬物 *2	切除+放射線+薬物	その他*3		
全部位	C00-C96	4,959	23.6	2.8	6.3	2.0	9.3	0.1	3.2	1.0	17.4	4.5	0.4	4.0	8.4	17.0	
口腔・咽頭	C00-C14	68	20.6	0.0	0.0	4.4	2.9	0.0	0.0	8.8	5.9	22.1	0.0	22.1	4.4	8.8	
食道	C15	68	14.7	0.0	5.9	2.9	8.8	0.0	0.0	0.0	4.4	38.2	0.0	5.9	2.9	16.2	
胃	C16	877	32.7	2.7	21.7	0.0	6.0	0.1	0.1	0.0	16.9	0.1	0.2	0.2	3.9	15.3	
大腸（結腸・直腸）	C18-C20	755	37.0	5.6	6.9	0.0	1.9	0.0	0.0	0.3	30.9	0.0	0.1	0.9	7.0	9.5	
結腸	C18	506	36.6	6.1	6.1	0.0	2.2	0.0	0.0	0.2	29.8	0.0	0.2	0.4	8.1	10.3	
直腸	C19-C20	249	37.8	4.4	8.4	0.0	1.2	0.0	0.0	0.4	32.9	0.0	0.0	2.0	4.8	8.0	
肝および肝内胆管	C22	281	8.5	0.0	1.1	0.0	9.3	0.0	0.0	0.0	1.4	0.4	0.0	0.0	52.7	26.7	
胆のう・胆管	C23-C24	169	21.3	3.0	8.3	0.6	8.3	0.0	0.0	0.6	14.2	0.6	0.0	1.2	17.2	24.9	
膵臓	C25	220	9.5	0.0	1.8	0.0	28.2	0.5	0.0	0.5	14.5	2.3	0.9	2.7	15.9	23.2	
喉頭	C32	28	3.6	0.0	0.0	10.7	0.0	0.0	0.0	17.9	7.1	39.3	0.0	14.3	0.0	7.1	
肺	C33-C34	633	10.9	6.8	0.0	6.2	17.9	0.0	0.0	0.5	9.2	9.8	0.3	1.1	6.6	30.8	
皮膚	C43-C44	103	79.6	0.0	0.0	1.0	1.0	0.0	0.0	0.0	6.8	1.9	0.0	1.0	0.0	8.7	
乳房	C50	354	11.0	0.0	0.0	0.3	0.3	0.0	1.4	2.8	47.2	1.1	1.4	30.2	1.1	3.1	
乳房（女性のみ）	C50	351	11.1	0.0	0.0	0.3	0.3	0.0	1.4	2.8	47.0	1.1	1.4	30.5	1.1	2.8	
子宮	C53-C55	137	35.0	0.7	0.0	4.4	3.6	0.0	0.0	4.4	22.6	8.8	0.0	5.8	3.6	10.9	
子宮頸部	C53	62	21.0	1.6	0.0	6.5	6.5	0.0	0.0	9.7	16.1	19.4	0.0	12.9	3.2	3.2	
子宮体部	C54	69	50.7	0.0	0.0	2.9	1.4	0.0	0.0	0.0	29.0	0.0	0.0	0.0	2.9	13.0	
卵巣	C56	54	25.9	0.0	0.0	0.0	9.3	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	14.8	
前立腺	C61	393	14.8	0.3	2.0	7.6	0.5	0.5	38.2	0.3	6.4	14.0	1.3	0.8	0.3	13.2	
膀胱	C67	131	9.9	0.8	24.4	0.8	2.3	0.0	0.8	0.8	26.0	2.3	0.0	5.3	11.5	15.3	
腎・尿路（膀胱除く）	C64-C66 C68	138	29.0	17.4	0.7	1.4	5.1	2.2	0.0	0.7	20.3	0.0	0.0	0.0	6.5	16.7	
脳・中枢神経系	C70-C72	45	11.1	0.0	0.0	2.2	0.0	0.0	0.0	11.1	0.0	4.4	0.0	33.3	2.2	35.6	
甲状腺	C73	127	77.2	0.0	4.7	0.0	0.8	0.0	0.0	3.1	2.4	0.8	0.0	1.6	1.6	7.9	
悪性リンパ腫	C81-C85 C96	164	4.3	0.0	0.0	3.0	45.1	0.0	0.0	0.6	11.0	5.5	1.8	1.8	9.1	17.7	
多発性骨髄腫	C88-C90	43	0.0	0.0	0.0	0.0	53.5	0.0	2.3	0.0	0.0	9.3	0.0	0.0	0.0	34.9	
白血病	C91-C95	63	0.0	0.0	0.0	0.0	55.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	30.2	

*1 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫・内分泌療法を指す。

*2 化学、免疫、内分泌療法のいずれかの併用

*3 単独療法および併用療法のいずれの項目にも含まれないものを指す (1)その他の治療 (TAE、PEITなど)の実施 (2)外科、体腔鏡、内視鏡的療法のいずれかの併用

付表3. 受療割合詳細 (%) ; 部位別
B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2007年

部位	ICD-10	集計対象数	単独療法							併用療法 *2						不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	切除+薬物	薬物+放射線	薬物 *3	切除+放射線+薬物	その他*4	
全部位	C00-C96 D00-D09	5,270	24.0	3.0	8.6	1.9	8.7	0.2	3.0	1.3	16.7	4.2	0.4	3.9	8.0	16.2
食道	C15 D001	73	13.7	0.0	12.3	2.7	8.2	0.0	0.0	0.0	4.1	35.6	0.0	5.5	2.7	15.1
大腸 (結腸・直腸) *1	C18-C20 D010-D012	888	33.6	6.1	16.9	0.0	1.6	0.0	0.0	0.2	26.4	0.0	0.1	0.8	6.1	8.3
結腸 *1	C18 D010	599	32.1	7.0	17.4	0.0	1.8	0.0	0.0	0.2	25.2	0.0	0.2	0.3	7.0	8.8
直腸 *1	C19-C20 D011-D012	289	36.7	4.2	15.9	0.0	1.0	0.0	0.0	0.3	28.7	0.0	0.0	1.7	4.2	7.3
肺	C33-C34 D021-D022	633	10.9	6.8	0.0	6.2	17.9	0.0	0.0	0.5	9.2	9.8	0.3	1.1	6.6	30.8
皮膚	C43-C44 D030-D049	116	81.0	0.0	0.0	0.9	0.9	0.0	0.0	0.0	6.0	1.7	0.0	0.9	0.0	8.6
乳房	C50 D05	406	13.5	0.0	0.0	0.2	0.2	0.0	1.2	7.6	42.6	1.0	1.2	28.3	1.0	3.0
乳房 (女性のみ)	C50 D05	402	13.4	0.0	0.0	0.2	0.2	0.0	1.2	7.7	42.5	1.0	1.2	28.6	1.0	2.7
子宮	C53-C55 D06	191	48.2	1.0	0.5	3.1	2.6	0.0	0.0	3.1	16.2	6.3	0.0	4.2	5.8	8.9
子宮頸部	C53 D06	116	49.1	1.7	0.9	3.4	3.4	0.0	0.0	5.2	8.6	10.3	0.0	6.9	6.9	3.4
膀胱	C67 D090	175	8.0	0.6	37.1	0.6	1.7	0.6	0.6	0.6	23.4	1.7	0.0	4.0	8.6	12.6

*1 粘膜がんを含む

*2 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫療法・内分泌療法を指す。

*3 化学、免疫、内分泌療法のいずれかの併用

*4 単独療法および併用療法のいずれの項目にも含まれないものを指す (1)その他の治療 (TAE、PEITなど) の実施 (2)外科、体腔鏡、内視鏡的療法のいずれかの併用

付表4. 医療圏別、保健所別罹患数； 部位別、性別

2007年

A. 上皮内がんを除く

医療圏/保健所	全部位 C00-C96			胃 C16			大腸(直腸・結腸) C18-C20			結腸 C18			直腸 C19-C20			肝臓 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女	女	女	男
福井県	2,961	2,140	5,101	585	311	896	425	244	769	255	252	517	160	92	252	178	115	293	490	185	675	4	353	357	138	63	69	396
福井・坂井医療圏	1,572	1,140	2,712	334	157	491	228	184	412	146	136	282	82	48	130	97	63	160	252	106	358	2	190	192	68	32	35	219
奥越医療圏	259	200	459	61	25	86	46	29	75	28	22	50	18	7	25	26	20	46	46	16	62	0	34	34	13	4	7	38
丹南医療圏	657	478	1,135	113	80	193	92	81	173	56	62	118	36	19	55	34	20	54	98	29	127	1	80	81	30	14	15	102
嶺南医療圏	433	322	755	77	49	126	59	50	109	35	32	67	24	18	42	21	12	33	94	34	128	1	49	50	27	13	12	37
福井保健所	1,104	818	1,922	238	103	347	168	128	296	103	91	199	60	37	97	69	40	109	164	79	243	1	152	153	49	21	28	158
坂井保健所	468	322	790	96	48	144	60	56	116	38	45	83	22	11	33	28	23	51	88	27	115	1	38	39	19	11	7	61
奥越保健所	293	200	493	61	25	86	46	29	75	28	22	50	18	7	25	26	20	46	46	16	62	0	34	34	13	4	7	38
丹南保健所	657	478	1,135	113	80	193	92	81	173	56	62	118	36	19	55	34	20	54	98	29	127	1	80	81	30	14	15	102
二州保健所	259	204	463	45	33	78	36	24	60	19	14	33	17	10	27	10	9	19	53	24	77	1	37	38	19	10	8	26
若狭保健所	174	118	292	32	16	48	23	26	49	16	18	34	7	8	15	11	3	14	41	10	51	0	12	12	8	3	4	11

付表4. 医療圏別、保健所別罹患数； 部位別、性別

B. 上皮内がんを含む

2007年

医療圏/保健所	全部位			大腸(結腸・直腸)			結腸			直腸			肺			乳房			子宮	子宮頸部
	C00-C96 D01-D09			C18-C20 D010-D012 *1			C18 D010 *1			C19-C20 D011-D012 *1			C33-C34 D021-D022			C50 D05			C53-C55 D06	C53 D06
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女	女
福井県	3,081	2,331	5,412	498	404	902	318	292	610	180	112	292	490	185	675	5	404	409	192	117
福井・坂井医療圏	1,641	1,243	2,884	269	213	482	174	157	331	95	56	151	252	106	358	3	219	222	97	61
奥越医療圏	310	214	524	52	35	87	33	25	58	19	10	29	46	16	62	0	36	36	15	6
丹南医療圏	684	532	1,216	107	96	203	67	70	137	40	26	66	98	29	127	1	94	95	50	34
嶺南医療圏	446	342	788	70	60	130	44	40	84	26	20	46	94	34	128	1	55	56	30	16
福井保健所	1,161	897	2,058	201	149	350	130	105	235	71	44	115	164	79	243	1	174	175	72	44
坂井保健所	480	346	826	68	64	132	44	52	96	24	12	36	88	27	115	2	45	47	25	17
奥越保健所	310	214	524	52	35	87	33	25	58	19	10	29	46	16	62	0	36	36	15	6
丹南保健所	684	532	1,216	107	96	203	67	70	137	40	26	66	98	29	127	1	94	95	50	34
二州保健所	270	221	491	46	32	78	27	20	47	19	12	31	53	24	77	1	42	43	22	13
若狭保健所	176	121	297	24	28	52	17	20	37	7	8	15	41	10	51	0	13	13	8	3

*1 粘膜がんを含む

付表5. 市区町村別罹患数； 部位別、性別

A. 上皮内がんを除く

2007年

市区町村	全部位 C00-C96			胃 C16			大腸(直腸・結腸) C18-C20			結腸 C18			直腸 C19-C20			肝臓 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女	女	女	男
福井県	2,981	2,140	5,101	585	311	896	425	344	769	265	252	517	160	82	252	178	115	293	490	185	675	4	353	357	138	63	69	396
福井市	1,019	755	1,774	223	96	319	153	120	273	99	88	187	54	32	86	65	39	105	152	72	224	0	142	142	45	20	25	143
敦賀市	174	136	310	33	19	52	23	20	43	13	13	26	10	7	17	7	8	15	32	13	45	0	25	25	15	9	5	17
小浜市	112	74	186	21	10	31	16	17	33	10	12	22	6	5	11	8	2	10	27	6	33	0	9	9	4	2	2	6
大野市	179	124	303	33	15	48	26	21	47	17	14	31	9	7	16	19	17	36	29	9	38	0	20	20	4	1	2	26
勝山市	120	76	196	28	10	38	20	8	28	11	8	19	9	0	9	7	3	10	17	7	24	0	14	14	9	3	5	12
鯖江市	216	152	368	31	27	58	32	24	56	17	19	36	15	5	20	13	8	21	33	7	40	0	30	30	8	5	3	36
あわら市	136	112	248	30	13	43	13	20	33	10	15	25	3	5	8	7	9	16	31	9	40	1	17	18	5	3	1	15
越前市	274	202	476	51	34	85	46	39	85	33	31	64	13	8	21	8	6	14	34	9	43	0	34	34	15	6	8	42
坂井市	331	210	541	65	35	100	47	36	83	28	30	58	19	6	25	21	14	35	57	18	75	0	21	21	14	8	6	46
美山町	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
永平寺町	83	63	146	14	13	27	15	8	23	9	3	12	6	5	11	3	1	4	12	7	19	1	10	11	4	1	3	14
三国町	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
金津町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
池田町	26	6	32	4	0	4	1	1	2	1	1	2	0	0	0	2	0	2	6	0	6	0	0	0	1	0	1	3
河野村	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
南越前町	60	44	104	12	8	20	6	8	14	2	5	7	4	3	7	8	0	8	8	5	14	0	7	7	2	2	0	7
越前町	80	74	154	14	11	25	7	9	16	3	6	9	4	3	7	3	6	9	17	7	24	1	9	10	4	1	3	14
清水町	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
三方町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
美浜町	37	36	73	5	7	12	4	1	5	2	0	2	2	1	3	2	1	3	11	4	15	1	8	9	3	0	3	3
名田庄村	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
高浜町	35	22	57	6	1	7	2	6	8	2	5	7	0	1	1	2	1	3	7	0	7	0	1	1	1	0	0	3
大飯町	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
おおい町	26	21	47	4	4	8	5	3	8	4	1	5	1	2	3	1	0	1	7	4	11	0	2	2	3	1	2	2
若狭町	48	32	80	7	7	14	9	3	12	4	1	5	5	2	7	1	0	1	10	7	17	0	4	4	1	1	0	6

付表5. 市区町村別罹患数； 部位別、性別

B. 上皮内がんを含む

2007年

市区町村	全部位			大腸(結腸・直腸)			結腸			直腸			肺			乳房			子宮		子宮頸部
	C00-C96 D01-D09			C18-C20 D010-D012 *1			C18 D010 *1			C19-C20 D011-D012 *1			C33-C34 D021-D022			C50 D05			C53-C55 D06		C53 D06
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女	女	
福井県	3,081	2,331	5,412	498	404	902	318	292	610	180	112	292	490	185	675	5	404	409	192	117	
福井市	1,071	828	1,899	185	139	324	120	100	220	65	39	104	152	72	224	0	162	162	66	41	
敦賀市	180	148	328	28	26	54	17	17	34	11	9	20	32	13	45	0	29	29	17	11	
小浜市	114	74	188	17	17	34	11	12	23	6	5	11	27	6	33	0	9	9	4	2	
大野市	186	135	321	29	25	54	20	16	36	9	9	18	29	9	38	0	22	22	6	3	
勝山市	124	79	203	23	10	33	13	9	22	10	1	11	17	7	24	0	14	14	9	3	
鯖江市	224	171	395	36	28	64	20	20	40	16	8	24	33	7	40	0	34	34	19	16	
あわら市	141	120	261	15	22	37	12	16	28	3	6	9	31	9	40	1	22	23	6	4	
越前市	289	226	515	54	49	103	39	37	76	15	12	27	34	9	43	0	40	40	18	9	
坂井市	338	226	564	53	42	95	32	36	68	21	6	27	57	18	75	1	23	24	19	13	
美山町	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
永平寺町	88	69	157	16	10	26	10	5	15	6	5	11	12	7	19	1	12	13	6	3	
三国町	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
金津町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
池田町	26	6	32	1	1	2	1	1	2	0	0	0	6	0	6	0	0	0	1	0	
河野村	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
南越前町	60	47	107	6	8	14	2	5	7	4	3	7	8	6	14	0	8	8	4	4	
越前町	84	82	166	10	10	20	5	7	12	5	3	8	17	7	24	1	12	13	8	5	
清水町	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
三方町	0	1	1	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	
美浜町	40	36	76	7	1	8	4	0	4	3	1	4	11	4	15	1	8	9	3	0	
名田庄村	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
高浜町	35	23	58	2	6	8	2	5	7	0	1	1	7	0	7	0	2	2	1	0	
大飯町	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
おおい町	26	23	49	5	5	10	4	3	7	1	2	3	7	4	11	0	2	2	3	1	
若狭町	50	36	86	11	4	15	6	2	8	5	2	7	10	7	17	0	5	5	2	2	

*1 粘膜がんを含む