

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)および累積罹患率(人口100対)； 部位別、性別

A. 上皮内がんを除く

2008年

部位	ICD-10	罹患数			罹患割合(%)			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	日本人人口			世界人口			男	女	男女計
											男	女	男女計	男	女	男女計			
全部位	C00-C96	2,895	2,137	5,032	100.0	100.0	100.0	739.8	508.6	620.1	415.6	273.7	334.9	293.0	204.5	242.8	35.0	21.8	27.9
口腔・咽頭	C00-C14	62	27	89	2.1	1.3	1.8	15.8	6.4	11.0	9.9	3.6	6.5	7.4	2.9	5.0	0.9	0.3	0.6
食道	C15	82	16	98	2.8	0.7	1.9	21.0	3.8	12.1	11.7	1.6	6.3	8.0	1.2	4.4	1.0	0.2	0.6
胃	C16	600	298	898	20.7	13.9	17.8	153.3	70.9	110.7	87.4	32.8	57.8	62.1	23.6	41.4	7.9	2.4	5.0
大腸(結腸・直腸)	C18-C20	385	352	737	13.3	16.5	14.6	98.4	83.8	90.8	57.0	38.1	46.8	40.8	27.0	33.5	5.0	3.1	4.0
結腸	C18	243	244	487	8.4	11.4	9.7	62.1	58.1	60.0	34.5	25.8	29.6	24.6	18.2	21.0	2.9	2.0	2.4
直腸	C19-C20	142	108	250	4.9	5.1	5.0	36.3	25.7	30.8	22.5	12.3	17.2	16.2	8.8	12.5	2.1	1.1	1.6
肝および肝内胆管	C22	174	119	293	6.0	5.6	5.8	44.5	28.3	36.1	24.4	11.2	17.4	16.7	7.4	11.8	2.1	0.9	1.4
胆のう・胆管	C23-C24	86	92	178	3.0	4.3	3.5	22.0	21.9	21.9	11.2	6.6	8.7	7.6	4.2	5.8	0.8	0.3	0.6
膵臓	C25	115	99	214	4.0	4.6	4.3	29.4	23.6	26.4	15.9	8.4	12.0	11.0	5.7	8.3	1.3	0.6	1.0
喉頭	C32	30	3	33	1.0	0.1	0.7	7.7	0.7	4.1	4.3	0.5	2.2	3.1	0.4	1.6	0.5	0.0	0.2
肺	C33-C34	507	223	730	17.5	10.4	14.5	129.6	53.1	90.0	68.0	23.5	43.1	45.9	16.8	29.8	5.2	1.9	3.4
皮膚	C43-C44	47	34	81	1.6	1.6	1.6	12.0	8.1	10.0	6.4	3.6	4.8	4.3	2.7	3.4	0.5	0.3	0.4
乳房	C50	8	319	327	0.3	14.9	6.5	2.0	75.9	40.3	1.2	61.4	31.9	0.8	47.5	24.6	0.1	5.2	2.7
子宮	C53-C55	-	101	101	-	4.7	2.0	-	24.0	-	-	18.3	-	-	14.0	-	-	1.5	-
子宮頸部	C53	-	51	51	-	2.4	1.0	-	12.1	-	-	10.5	-	-	8.2	-	-	0.8	-
子宮体部	C54	-	46	46	-	2.2	0.9	-	10.9	-	-	7.6	-	-	5.7	-	-	0.7	-
卵巣	C56	-	51	51	-	2.4	1.0	-	12.1	-	-	8.3	-	-	6.6	-	-	0.6	-
前立腺	C61	338	-	338	11.7	-	6.7	86.4	-	-	45.1	-	-	30.7	-	-	4.0	-	-
膀胱	C67	82	34	116	2.8	1.6	2.3	21.0	8.1	14.3	10.5	2.9	6.3	7.2	1.9	4.3	0.8	0.2	0.5
腎・尿路(膀胱除く)	C64-C66 C68	85	46	131	2.9	2.2	2.6	21.7	10.9	16.1	13.5	5.3	9.1	9.6	3.8	6.6	1.1	0.4	0.7
脳・中枢神経系	C70-C72	18	18	36	0.6	0.8	0.7	4.6	4.3	4.4	2.8	2.7	2.7	2.0	2.4	2.2	0.2	0.2	0.2
甲状腺	C73	27	103	130	0.9	4.8	2.6	6.9	24.5	16.0	5.7	19.9	12.9	4.5	15.9	10.3	0.5	1.7	1.1
悪性リンパ腫	C81-C85 C96	101	87	188	3.5	4.1	3.7	25.8	20.7	23.2	15.8	10.9	13.2	11.4	8.3	9.7	1.3	0.8	1.0
多発性骨髄腫	C88-C90	19	19	38	0.7	0.9	0.8	4.9	4.5	4.7	2.4	1.5	1.9	1.6	1.0	1.2	0.2	0.1	0.1
白血病	C91-C95	42	31	73	1.5	1.5	1.5	10.7	7.4	9.0	7.0	5.5	6.1	6.1	5.5	5.7	0.6	0.4	0.5

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)および累積罹患率(人口100対) ; 部位別、性別

B. 上皮内がんを含む

2008年

部位	ICD-10	罹患数			罹患割合(%)			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	日本人人口			世界人口			男	女	男女計
											男	女	男女計	男	女	男女計			
全部位	C00-C96 D00-D09	3,055	2,303	5,358	100.0	100.0	100.0	780.7	548.1	660.3	439.7	306.0	362.6	310.4	229.7	263.8	37.2	24.3	30.2
食道	C15 D001	93	18	111	3.0	0.8	2.1	23.8	4.3	13.7	13.3	1.8	7.2	9.2	1.3	5.0	1.2	0.2	0.7
大腸(結腸・直腸)*1	C18-C20 D010-D012	463	396	859	15.2	17.2	16.0	118.3	94.3	105.9	70.0	43.7	56.0	50.6	31.0	40.3	6.3	3.6	4.9
結腸 *1	C18 D010	301	275	576	9.9	11.9	10.8	76.9	65.5	71.0	44.2	29.7	36.3	31.8	21.0	26.0	3.8	2.4	3.1
直腸 *1	C19-C20 D011-D012	162	121	283	5.3	5.3	5.3	41.4	28.8	34.9	25.8	14.0	19.7	18.8	10.1	14.3	2.4	1.2	1.8
肺	C33-C34 D021-D022	507	224	731	16.6	9.7	13.6	129.6	53.3	90.1	68.0	23.6	43.2	45.9	16.8	29.8	5.2	1.9	3.4
皮膚	C43-C44 D030-D049	56	48	104	1.8	2.1	1.9	14.3	11.4	12.8	7.4	5.4	6.2	5.0	3.9	4.4	0.5	0.4	0.5
乳房	C50 D05	8	363	371	0.3	15.8	6.9	2.0	86.4	45.7	1.2	71.0	36.8	0.8	55.1	28.4	0.1	6.0	3.1
子宮	C53-C55 D06	-	147	147	-	6.4	2.7	-	35.0	-	-	31.5	-	-	25.0	-	-	2.4	-
子宮頸部	C53 D06	-	97	97	-	4.2	1.8	-	23.1	-	-	23.8	-	-	19.1	-	-	1.7	-
膀胱	C67 D090	128	44	172	4.2	1.9	3.2	32.7	10.5	21.2	16.6	4.0	9.6	11.3	2.6	6.5	1.3	0.3	0.7

*1 粘膜がんを含む

表2. 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

2008年

A. 上皮内がんを除く

性別	部位	ICD-10	0-4歳		5-9歳		10-14歳		15-19歳		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80-84歳		85歳以上		
			罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数
男	全部位	C00-C96	1	100.0	1	100.0	1	100.0	2	100.0	1	100.0	5	100.0	16	100.0	27	100.0	24	100.0	48	100.0	109	100.0	247	100.0	293	100.0	433	100.0	476	100.0	550	100.0	434	100.0	227	100.0	
	口腔・咽頭	C00-C14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	6.3	0	0.0	2	8.3	2	4.2	2	1.8	5	2.0	13	4.4	13	3.0	7	1.5	7	1.3	6	1.4	4	1.8	
	食道	C15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.2	1	2.1	2	1.8	14	5.7	5	1.7	12	2.8	16	3.4	14	2.6	15	3.5	2	0.9	
	胃	C16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	12.5	2	7.4	6	25.0	12	25.0	22	20.0	69	27.9	67	22.9	92	21.2	109	22.9	93	16.9	84	19.4	42	18.5	
	大腸(結腸・直腸)	C18-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	11.1	1	4.2	11	22.9	24	22.0	41	16.6	39	13.3	66	15.2	58	12.2	59	10.7	52	12.0	31	13.7	
	結腸	C18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	7.4	0	0.0	5	10.4	11	10.1	21	8.5	26	8.9	44	10.2	33	6.9	37	6.7	36	6.3	28	6.3	28	12.3	
	直腸	C19-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	1	4.2	6	12.5	13	11.9	20	8.1	13	4.4	22	5.1	25	5.3	22	4.0	16	3.7	3	1.3			
	肝および肝内胆管	C22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	6.3	7	6.4	18	7.3	15	5.1	26	6.0	31	6.5	39	7.1	28	6.5	7	3.1			
	胆のう・胆管	C23-C24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.2	1	2.1	1	0.9	4	1.6	7	2.4	15	3.5	10	2.1	14	2.6	20	4.6	13	5.7			
	膵臓	C25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0	0	0.0	5	4.6	11	4.5	13	4.4	19	4.4	15	3.2	22	4.0	21	4.8	8	3.5	
	喉頭	C32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.9	2	0.8	4	1.4	6	1.4	8	1.7	3	0.6	3	0.7	3	0.7	3	1.3	
	肺	C33-C34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	6.3	2	7.4	4	16.7	6	12.5	17	15.6	25	10.1	39	13.3	72	16.6	79	16.6	117	21.3	98	22.6	47	20.7	
	皮膚	C43-C44	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0	1	2.1	1	0.9	5	2.0	2	0.7	7	1.6	6	1.3	12	2.2	7	1.6	5	2.2			
	乳房	C50	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	1	0.2	1	0.2	2	0.4	1	0.2	1	0.4	
	前立腺	C61	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	5	4.6	18	7.3	36	12.3	57	13.2	69	14.5	83	15.1	47	10.8	23	10.1	
	膀胱	C67	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.9	2	0.8	13	4.4	9	2.1	13	2.7	21	3.8	13	3.0	10	4.4	
	腎・尿管(膀胱除く)	C64-C66 C68	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	6.3	3	11.1	2	8.3	2	4.2	6	5.5	11	4.5	9	3.1	7	1.6	14	2.9	20	3.6	5	1.2	5	2.2	
	脳・中枢神経系	C70-C72	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	12.5	1	3.7	0	0.0	0	0.0	0	0.0	1	0.4	2	0.7	3	0.7	2	0.4	3	0.6	3	0.7	1	0.4	
	甲状腺	C73	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	6.3	3	11.1	2	8.3	3	6.3	2	1.8	2	0.8	4	1.4	3	0.7	3	0.6	1	0.2	1	0.2	1	0.2	1	0.4	
	悪性リンパ腫	C81-C85 C96	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	40.0	1	6.3	2	7.4	3	12.5	2	4.2	7	6.4	8	3.2	10	3.4	11	2.5	15	3.2	21	3.8	14	3.2	5	2.2	
多発性骨髄腫	C88-C90	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.8	0	0.0	0	0.0	2	0.5	3	0.6	5	0.9	5	1.2	2	0.9		
白血病	C91-C95	1	100.0	0	0.0	1	100.0	2	100.0	1	100.0	0	0.0	1	6.3	0	0.0	1	4.2	0	0.0	0	0.0	0	0.0	5	2.0	4	1.4	2	0.5	9	1.9	5	0.9	5	1.2	5	2.2
女	全部位	C00-C96	2	100.0	5	100.0	1	100.0	3	100.0	4	100.0	7	100.0	28	100.0	42	100.0	70	100.0	80	100.0	135	100.0	156	100.0	170	100.0	195	100.0	247	100.0	288	100.0	299	100.0	404	100.0	
	口腔・咽頭	C00-C14	0	0.0	0	0.0	0	0.0	1	33.3	0	0.0	1	14.3	0	0.0	0	0.0	2	2.9	0	0.0	0	0.0	4	2.6	1	0.6	3	1.5	3	1.2	2	0.7	5	1.7	5	1.2	
	食道	C15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0	1	0.6	2	1.2	0	0.0	4	1.6	2	0.7	1	0.3	5	1.2	
	胃	C16	0	0.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	3	10.7	5	11.9	7	10.0	8	10.0	12	8.8	14	9.0	22	12.9	22	11.3	33	13.4	53	18.4	47	15.7	71	17.6	
	大腸(結腸・直腸)	C18-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.6	5	11.9	4	5.7	5	6.3	17	12.5	29	18.6	21	12.4	39	20.0	43	17.4	50	17.4	61	20.4	77	19.1	
	結腸	C18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.6	3	7.1	2	2.9	1	1.3	14	10.3	21	13.5	17	10.0	24	12.3	24	9.7	36	12.5	47	15.7	54	13.4	
	直腸	C19-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	5.0	3	2.2	8	5.1	4	2.4	15	7.7	19	7.7	14	4.9	14	4.7	23	5.7	
	肝および肝内胆管	C22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	6	3.8	7	4.1	16	8.2	16	6.5	30	10.4	24	8.0	19	4.7	
	胆のう・胆管	C23-C24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	1.3	1	0.7	1	0.6	2	1.2	3	1.5	8	3.2	18	5.3	10	3.1	21	7.0	36	8.9	
	膵臓	C25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	2.2	1	0.6	6	3.5	11	5.6	11	4.5	16	5.6	22	7.4	29	7.2			
	喉頭	C32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0	
	肺	C33-C34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	0	0.0	0	0.0	2	2.9	4	5.0	12	8.8	14	9.0	19	11.2	18	9.2	30	12.1	36	12.5	35	11.7	52	12.9	
	皮膚	C43-C44	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	2	7.1	0	0.0	1	1.4	1	1.3	0	0.0	2	1.3	0	0.0	3	1.5	3	1.2	2	0.7	7	2.3	12	3.0	
	乳房	C50	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	10	35.7	16	38.1	32	45.7	34	42.5	43	31.6	31	19.9	35	21.2	32	16.4	38	15.4							

表2. 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

B. 上皮内がんを含む

2008年

性別	部位	ICD-10	0-4歳		5-9歳		10-14歳		15-19歳		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80-84歳		85歳以上	
			罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)	罹患数	割合(%)
男	全部位	C00-C96 000-009	1	100.0	1	100.0	1	100.0	2	100.0	1	100.0	5	100.0	16	100.0	27	100.0	25	100.0	51	100.0	121	100.0	261	100.0	319	100.0	457	100.0	502	100.0	583	100.0	448	100.0	234	100.0
	食道	C15 0001	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.0	2	3.9	2	1.7	15	5.7	8	2.5	12	2.6	18	3.6	17	2.9	16	3.6	2	0.9
	大腸(結腸・直腸)*1	C18-C20 0010-0012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	11.1	2	8.0	13	25.5	34	28.1	53	20.3	54	16.9	75	16.4	73	14.5	68	11.7	56	12.5	32	13.7
	結腸*1	C18 0010	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	7.4	1	4.0	7	13.7	18	14.9	29	11.1	36	11.3	52	11.4	43	8.6	45	7.7	39	8.7	29	12.4
	直腸*1	C19-C20 0011-0012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	1	4.0	6	11.8	16	13.2	24	9.2	18	5.6	23	5.0	30	6.0	23	4.0	17	3.8	3	1.3
	肺	C33-C34 0021-0022	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	6.3	2	7.4	4	16.0	6	11.8	17	14.0	25	9.6	39	12.2	72	15.8	79	15.7	117	20.1	98	21.9	47	20.1
	皮膚	C43-C44 0030-0049	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0	1	2.0	1	0.8	5	1.9	2	0.6	8	1.8	8	1.6	14	2.4	9	2.0	7	3.0
	乳房	C50 005	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	1	0.2	1	0.2	2	0.3	1	0.2	1	0.4
	膀胱	C67 0090	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.7	3	1.1	18	5.6	19	4.2	18	3.6	37	6.4	17	3.8	14	6.0
	女	全部位	C00-C96 000-009	2	100.0	5	100.0	1	100.0	3	100.0	4	100.0	13	100.0	40	100.0	53	100.0	93	100.0	94	100.0	144	100.0	168	100.0	180	100.0	211	100.0	264	100.0	304	100.0	313	100.0	411
食道		C15 0001	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0	1	0.6	2	1.1	0	0.0	5	1.9	2	0.7	1	0.3	6	1.5
大腸(結腸・直腸)*1		C18-C20 0010-0012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.5	5	9.4	7	7.5	5	5.3	18	12.5	34	20.2	26	14.4	45	21.3	49	18.6	58	19.1	67	21.4	81	19.7
結腸*1		C18 0010	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.5	3	5.7	4	4.3	1	1.1	14	9.7	24	14.3	21	11.7	28	13.3	30	11.4	42	13.8	50	16.0	57	13.9
直腸*1		C19-C20 0011-0012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	3.8	3	3.2	4	4.3	4	2.8	10	6.0	5	2.8	17	8.1	19	7.2	16	5.3	17	5.4	24	5.8
肺		C33-C34 0021-0022	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	7.7	0	0.0	0	0.0	2	2.2	4	4.3	12	8.3	14	8.3	19	10.6	18	8.5	30	11.4	36	11.8	36	11.5	52	12.7
皮膚		C43-C44 0030-0049	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	7.7	2	5.0	0	0.0	1	1.1	2	2.1	2	1.4	2	1.2	0	0.0	4	1.9	7	2.7	4	1.3	10	3.2	13	3.2
乳房		C50 005	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	11	27.5	19	35.8	40	43.0	42	44.7	46	31.9	36	21.4	39	21.7	40	19.0	41	15.5	22	7.2	18	5.8	9	2.2		
子宮		C53-C55 006	0	0.0	0	0.0	0	0.0	0	0.0	6	46.2	14	35.0	12	22.6	22	23.7	10	10.6	14	9.7	15	8.9	15	8.3	8	3.8	11	4.2	9	3.0	7	2.2	4	1.0		
子宮頸部		C53 006	0	0.0	0	0.0	0	0.0	0	0.0	6	46.2	14	35.0	12	22.6	21	22.6	7	7.4	5	3.5	7	4.2	11	6.1	4	1.9	3	1.1	3	1.0	3	1.0	3	1.0	1	0.2
膀胱	C67 0090	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	1	1.1	1	0.7	2	1.2	0	0.0	2	0.9	7	2.7	11	3.6	7	2.2	12	2.9	
男女計	全部位	C00-C96 000-009	3	100.0	6	100.0	2	100.0	5	100.0	5	100.0	18	100.0	56	100.0	80	100.0	118	100.0	145	100.0	265	100.0	429	100.0	499	100.0	668	100.0	766	100.0	887	100.0	761	100.0	645	100.0
食道	C15 0001	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.8	3	2.1	2	0.8	16	3.7	10	2.0	12	1.8	23	3.0	19	2.1	17	2.2	8	1.2	
大腸(結腸・直腸)*1	C18-C20 0010-0012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.8	8	10.0	9	7.6	18	12.4	52	19.6	87	20.3	80	16.0	120	18.0	122	15.9	126	14.2	123	16.2	113	17.5	
結腸*1	C18 0010	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.8	5	6.3	5	4.2	8	5.5	32	12.1	53	12.4	57	11.4	80	12.0	73	9.5	87	9.8	89	11.7	86	13.3	
直腸*1	C19-C20 0011-0012	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	4	3.4	10	6.9	20	7.5	34	7.9	23	4.6	40	6.0	49	6.4	39	4.4	34	4.5	27	4.2	
肺	C33-C34 0021-0022	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.6	1	1.8	2	2.5	6	5.1	10	6.9	29	10.9	39	9.1	58	11.6	90	13.5	109	14.2	153	17.3	134	17.6	99	15.4	
皮膚	C43-C44 0030-0049	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.6	2	3.6	1	1.3	1	0.8	3	2.1	3	1.1	7	1.6	2	0.4	12	1.8	15	2.0	18	2.0	19	2.5	20	3.1	
乳房	C50 005	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	11	19.6	20	25.0	40	33.9	42	29.0	46	17.4	36	8.4	40	8.0	41	6.1	42	5.5	24	2.7	19	2.5	10	1.6			
子宮	C53-C55 006	0	0.0	0	0.0	0	0.0	0	0.0	6	33.3	14	25.0	12	15.0	22	18.6	10	6.9	14	5.3	15	3.5	15	3.0	8	1.2	11	1.4	9	1.0	7	0.9	4	0.6			
子宮頸部	C53 006	0	0.0	0	0.0	0	0.0	0	0.0	6	33.3	14	25.0	12	15.0	21	17.8	7	4.8	5	1.9	7	1.6	11	2.2	4	0.6	3	0.4	3	0.3	3	0.4	3	0.4	1	0.2	
膀胱	C67 0090	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.8	1	0.7	3	1.1	5	1.2	18	3.6	21	3.1	25	3.3	48	5.4	24	3.2	26	4.0	

*1 粘膜がんを含む

表3. 年齢階級別罹患率（人口10万対）： 部位別、性別
A. 上皮内がんを除く

2008年

性別	部位	年齢階級																			
		100-110	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位	000-096	5.7	5.0	4.6	10.2	5.1	22.7	58.4	96.7	98.4	192.7	425.1	772.1	1,091.5	1,881.9	2,347.1	2,976.0	3,399.9	3,208.0	
	口腔・咽頭	000-014	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	8.2	8.0	7.9	15.6	48.4	55.9	34.5	31.9	47.0	56.5
	食道	015	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4.0	7.8	43.8	18.6	51.6	78.9	75.8	117.5	28.3
	胃	016	0.0	0.0	0.0	0.0	0.0	0.0	7.4	7.2	24.6	48.2	85.8	215.7	249.6	395.6	537.5	508.2	659.0	533.6	
	大腸（結腸・直腸）	018-020	0.0	0.0	0.0	0.0	0.0	0.0	10.7	0.0	10.7	4.1	44.2	93.6	145.3	283.8	286.0	319.2	407.4	438.1	
	結腸	018	0.0	0.0	0.0	0.0	0.0	0.0	7.2	0.0	7.2	0.0	20.1	42.9	65.6	95.9	189.2	162.7	200.2	282.0	395.7
	直腸	019-020	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.1	24.1	0.0	50.7	62.5	48.4	94.6	123.3	119.0	125.3	42.4	
	肝および肝内胆管	022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	27.3	56.3	55.9	111.8	152.9	211.0	219.3	98.9	
	胆のう・胆管	023-024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4.0	3.9	3.9	12.5	26.1	64.5	49.3	76.8	156.7	183.7
	膵臓	025	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.5	34.4	40.4	81.7	74.0	119.0	164.5	113.1	
	喉頭	032	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	6.3	14.9	25.8	39.4	16.2	23.5	42.4	
	肺	033-034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	7.2	16.4	24.1	66.3	78.2	145.3	309.6	389.5	633.1	767.7	664.2
	皮膚	043-044	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	4.0	3.9	15.6	7.5	30.1	29.6	64.9	54.8	70.7	
	乳房	050	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	3.7	4.3	4.9	10.8	7.8	14.1	
	前立腺	061	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.5	56.3	134.1	245.1	340.2	449.1	368.2	325.0	
	膀胱	067	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	6.3	48.4	38.7	64.1	113.6	101.8	141.3	
	腎・腎臓（副腎腺々）	064-066 068	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	10.7	8.2	8.0	23.4	34.4	33.5	30.1	69.0	108.2	39.2	70.7
	膵・中膵神経系	070-072	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	3.6	0.0	0.0	0.0	3.1	7.5	12.9	9.9	16.2	23.5	14.1
	中膵神経系	073	0.0	0.0	0.0	0.0	0.0	0.0	4.5	3.7	10.7	8.2	12.0	7.8	6.3	14.9	12.9	14.8	5.4	7.8	14.1
遺伝性リンパ腫	091-095 096	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	0.0	0.0	8.6	14.8	27.1	39.2	28.3	
多発性骨髄腫	098-099	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	14.8	27.1	39.2	28.3	
白血病	091-095	11.9	10.4	4.8	10.2	5.1	5.0	0.0	3.7	0.0	4.1	0.0	0.0	15.6	14.9	8.6	44.4	27.1	39.2	70.7	
全部位	000-096	11.9	26.1	4.9	16.2	20.1	31.8	107.1	154.1	281.7	317.4	532.2	484.0	616.0	765.6	991.5	1,504.2	1,514.2	1,939.8		
口腔・咽頭	000-014	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	8.0	0.0	0.0	12.4	3.6	11.8	12.0	8.4	25.3	24.3	
食道	015	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	3.1	7.2	0.0	16.1	8.4	5.1	24.3	
胃	016	0.0	5.2	0.0	0.0	0.0	0.0	11.5	18.3	28.2	31.7	47.0	43.4	79.7	86.4	132.5	221.9	238.0	344.4		
大腸（結腸・直腸）	018-020	0.0	0.0	0.0	0.0	0.0	0.0	3.8	18.3	16.1	19.8	66.5	90.0	76.1	153.1	172.6	200.4	308.9	313.5		
結腸	018	0.0	0.0	0.0	0.0	0.0	0.0	3.8	11.0	8.0	4.0	54.8	65.2	61.6	94.2	150.7	238.0	292.0			
肝および肝内胆管	019-020	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	8.0	0.0	3.9	11.7	24.8	14.5	58.9	76.3	50.6	70.9	111.6	
胆のう・胆管	022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	18.6	25.4	62.8	64.2	135.6	121.5	92.2	
膵臓	023-024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.0	11.7	3.1	21.7	43.2	44.2	67.0	111.4	140.7	
喉頭	025	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	5.1	0.0	
肺	032	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
皮膚	033-034	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	8.0	15.9	47.0	43.4	68.8	70.7	120.4	150.7	177.2	252.3	
乳房	043-044	0.0	0.0	0.0	0.0	0.0	4.5	7.7	0.0	4.0	4.0	0.0	0.0	6.2	0.0	11.8	12.0	8.4	35.4	58.2	
子宮頸部	050	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.3	50.7	128.8	134.9	168.3	98.2	130.4	125.6	152.5	181.1	86.1	38.8	
子宮体部	053-055	0.0	0.0	0.0	0.0	0.0	0.0	11.5	14.7	36.2	11.9	15.7	18.6	32.6	15.7	12.0	8.4	15.2	4.9		
卵巣	054	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.9	35.2	24.8	14.5	15.7	32.1	20.9	15.2	4.9	
阴茎	056	0.0	0.0	0.0	0.0	10.0	0.0	0.0	11.0	0.0	15.9	27.4	21.7	25.4	3.9	12.6	29.3	10.1	38.8		
膀胱	067	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.0	0.0	0.0	3.1	0.0	3.9	24.1	3.9	25.3	58.2	
腎・腎臓（副腎腺々）	064-066 068	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	7.9	19.6	6.2	14.5	7.9	20.1	16.7	50.6	53.4		
膵・中膵神経系	070-072	0.0	5.2	4.9	0.0	0.0	0.0	0.0	0.0	4.0	0.0	3.9	3.1	10.9	3.9	8.0	4.2	20.3	9.7		
中膵神経系	073	0.0	0.0	0.0	0.0	5.4	0.0	13.6	26.8	18.3	20.1	31.7	31.3	46.5	50.7	62.8	40.1	33.5	5.1	9.7	
遺伝性リンパ腫	081-085 086	0.0	5.2	0.0	0.0	0.0	0.0	0.0	3.8	3.7	12.1	7.9	35.2	18.6	25.4	27.5	28.1	37.7	60.8	106.7	
多発性骨髄腫	088-090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	7.9	12.0	16.7	20.3	24.3	
白血病	091-095	11.9	10.4	4.8	10.2	5.1	5.0	0.0	3.8	7.3	4.0	4.0	3.9	9.3	7.2	11.8	12.0	12.6	20.3	14.6	
全部位	000-096	8.7	16.3	4.8	13.1	12.6	27.3	62.5	75.0	150.9	255.4	470.6	627.5	650.4	1,208.8	1,559.8	1,974.6	2,254.6	2,276.8		
口腔・咽頭	000-014	0.0	0.0	0.0	0.0	2.6	2.3	1.9	0.0	8.1	4.0	3.9	14.0	25.7	32.8	22.1	21.2	33.6	32.5		
食道	015	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	4.0	3.9	23.4	12.9	24.6	44.3	37.8	49.2	25.3		
胃	016	0.0	2.5	0.0	0.0	0.0	0.0	9.4	12.7	26.4	39.9	66.4	128.2	163.5	224.0	314.2	344.6	402.9	408.1		
大腸（結腸・直腸）	018-020	0.0	0.0	0.0	0.0	0.0	0.0	1.9	14.5	10.2	31.9	80.1	109.0	110.2	215.5	223.5	257.3	347.6	390.0		
結腸	018	0.0	0.0	0.0	0.0	0.0	0.0	1.9	9.1	4.1	12.0	48.8	65.4	79.0	139.6	126.1	172.3	255.3	296.1		
直腸	019-020	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	6.1	20.6	31.3	43.6	31.2	75.9	97.4	86.0	92.3	93.9		
肝および肝内胆管	022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	15.6	37.4	40.4	86.2	104.0	162.9	159.9	93.9		
胆のう・胆管	023-024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4.0	3.9	7.8	16.5	36.9	39.8	75.5	126.1	177.0		
膵臓	025	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.8	0.0	15.6	18.7	34.9	61.6	57.5	89.7	132.3	133.6		
喉頭	032	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.0	3.1	9.2	12.3	17.7	7.1	12.3	10.8		
肺	033-034	0.0	0.0	0.0	0.0	0.0	2.3	1.9	3.6	12.2	20.0	56.6	60.7	106.5							

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

B. 上皮内がんを含む

2008年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上		
男	全部位	C00-C96 D00-D09	5.7	5.0	4.6	10.2	5.1	22.7	59.4	96.7	102.5	204.7	471.9	815.9	1,188.3	1,965.1	2,475.3	3,154.6	3,509.6	3,307.0		
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	8.0	7.8	46.9	29.8	51.6	88.8	92.0	125.3	28.3		
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	8.2	52.2	132.6	165.7	201.2	322.5	360.0	367.9	438.7	452.2		
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	4.1	28.1	70.2	90.7	134.1	223.6	212.0	243.5	305.5	409.8		
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.1	24.1	62.4	75.0	67.1	98.9	147.9	124.5	133.2	42.4		
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	7.2	16.4	24.1	66.3	78.2	145.3	309.6	389.5	633.1	767.7	664.2	
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	4.0	3.9	15.6	7.5	34.4	39.4	75.8	70.5	98.9	
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	3.7	4.3	4.9	10.8	7.8	14.1
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	9.4	67.1	81.7	88.8	200.2	133.2	197.9	
	女	全部位	C00-C96 D00-D09	11.9	26.1	4.9	16.2	20.1	59.0	153.0	194.4	374.2	373.0	563.5	521.2	652.2	828.4	1,059.7	1,272.9	1,585.1	1,993.8	
食道		C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	3.1	7.2	0.0	20.1	8.4	5.1	29.1		
大腸（結腸・直腸）*1		C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	3.8	18.3	28.2	19.8	70.4	105.5	94.2	176.7	196.7	242.9	339.3	392.9		
結腸 *1		C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	3.8	11.0	16.1	4.0	54.8	74.5	76.1	109.9	120.4	175.9	253.2	276.5		
直腸 *1		C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	12.1	15.9	15.7	31.0	18.1	66.7	76.3	67.0	86.1	116.4		
肺		C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	8.0	15.9	47.0	43.4	68.8	70.7	120.4	150.7	182.3	252.3		
皮膚		C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	4.5	7.7	0.0	4.0	7.9	7.8	6.2	0.0	15.7	28.1	16.7	50.6	63.1		
乳房		C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	42.1	69.7	161.0	166.7	180.0	111.7	141.3	157.0	164.6	92.1	91.2	43.7		
子宮		C53-C55 D06	0.0	0.0	0.0	0.0	0.0	27.2	53.6	44.0	88.5	39.7	54.8	46.5	54.3	31.4	44.2	37.7	35.4	19.4		
子宮頸部		C53 D06	0.0	0.0	0.0	0.0	0.0	27.2	53.6	44.0	84.5	27.8	19.6	21.7	39.9	15.7	12.0	12.6	15.2	4.9		
膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.0	3.9	6.2	0.0	7.9	28.1	46.1	35.4	58.2			
男女計	全部位	C00-C96 D00-D09	8.7	15.3	4.8	13.1	12.6	40.9	105.5	145.0	239.6	289.3	517.7	668.0	916.6	1,370.9	1,695.0	2,093.8	2,340.7	2,329.4		
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	6.0	3.9	24.9	18.4	24.6	50.9	44.9	52.3	28.9		
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	1.9	14.5	18.3	35.9	101.6	135.5	146.9	246.3	270.0	297.4	378.3	408.1		
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	1.9	9.1	10.2	16.0	62.5	82.5	104.7	164.2	161.5	205.4	273.7	310.6		
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	8.1	20.0	39.1	52.9	42.2	82.1	108.4	92.1	104.6	97.5		
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	2.3	1.9	3.6	12.2	20.0	56.6	60.7	106.5	184.7	241.2	361.2	412.2	357.5		
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	2.3	3.8	1.8	2.0	6.0	5.9	10.9	3.7	24.6	33.2	42.5	58.4	72.2		
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	20.7	36.2	81.2	83.8	89.9	56.1	73.5	84.1	92.9	56.7	58.4	36.1		
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.0	5.9	7.8	33.1	43.1	55.3	113.3	73.8	93.9		

*1 粘膜がんを含む

表4. 発見経緯 (%) ; 部位別

A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96	4,851	4.2	8.6	28.1	0.0	59.0
口腔・咽頭	C00-C14	85	0.0	0.0	14.1	0.0	85.9
食道	C15	96	1.0	9.4	37.5	0.0	52.1
胃	C16	876	4.9	14.3	27.2	0.0	53.7
大腸(結腸・直腸)	C18-C20	724	6.4	6.2	23.5	0.0	64.0
結腸	C18	479	5.6	5.8	27.3	0.0	61.2
直腸	C19-C20	245	7.8	6.9	15.9	0.0	69.4
肝および肝内胆管	C22	277	0.0	1.8	61.0	0.0	37.2
胆のう・胆管	C23-C24	172	0.0	2.9	30.2	0.0	66.9
膵臓	C25	198	0.0	1.5	25.3	0.0	73.2
喉頭	C32	33	0.0	0.0	6.1	0.0	93.9
肺	C33-C34	668	3.7	10.3	38.0	0.0	47.9
皮膚	C43-C44	80	0.0	0.0	13.8	0.0	86.3
乳房	C50	323	13.9	10.5	7.7	0.0	67.8
乳房(女性のみ)	C50	317	14.2	10.7	7.9	0.0	67.2
子宮	C53-C55	99	5.1	5.1	13.1	0.0	76.8
子宮頸部	C53	50	6.0	4.0	8.0	0.0	82.0
子宮体部	C54	46	4.3	6.5	15.2	0.0	73.9
卵巣	C56	50	2.0	6.0	14.0	0.0	78.0
前立腺	C61	336	10.4	17.0	28.6	0.0	44.0
膀胱	C67	113	0.0	1.8	20.4	0.0	77.9
腎・尿路(膀胱除く)	C64-C66 C68	129	0.0	8.5	45.0	0.0	46.5
脳・中枢神経系	C70-C72	34	0.0	0.0	14.7	0.0	85.3
甲状腺	C73	130	2.3	16.9	31.5	0.0	49.2
悪性リンパ腫	C81-C85 C96	183	0.0	4.9	18.0	0.0	77.0
多発性骨髄腫	C88-C90	37	0.0	2.7	56.8	0.0	40.5
白血病	C91-C95	69	0.0	8.7	33.3	0.0	58.0

表4. 発見経緯 (%) ; 部位別

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96 D00-D09	5,177	4.7	8.9	28.4	0.0	58.0
食道	C15 D001	109	0.9	10.1	40.4	0.0	48.6
大腸 (結腸・直腸) *1	C18-C20 D010-D012	846	6.7	8.5	25.5	0.0	59.2
結腸 *1	C18 D010	568	6.3	8.6	28.9	0.0	56.2
直腸 *1	C19-C20 D011-D012	278	7.6	8.3	18.7	0.0	65.5
肺	C33-C34 D021-D022	669	3.7	10.3	38.1	0.0	47.8
皮膚	C43-C44 D030-D049	103	0.0	0.0	12.6	0.0	87.4
乳房	C50 D05	367	15.3	10.6	9.0	0.0	65.1
乳房 (女性のみ)	C50 D05	361	15.5	10.8	9.1	0.0	64.5
子宮	C53-C55 D06	145	15.9	7.6	15.2	0.0	61.4
子宮頸部	C53 D06	96	21.9	8.3	13.5	0.0	56.3
膀胱	C67 D090	169	0.0	1.2	26.0	0.0	72.8

*1 粘膜がんを含む

表5. 臨床進行度分布 (%) ; 部位別

A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96	4,851	46.5	9.6	13.5	17.9	12.5
口腔・咽頭	C00-C14	85	32.9	30.6	28.2	4.7	3.5
食道	C15	96	39.6	15.6	20.8	11.5	12.5
胃	C16	876	55.7	9.6	10.3	15.8	8.7
大腸（結腸・直腸）	C18-C20	724	45.6	15.6	12.3	19.3	7.2
結腸	C18	479	44.7	15.0	13.2	20.3	6.9
直腸	C19-C20	245	47.3	16.7	10.6	17.6	7.8
肝および肝内胆管	C22	277	61.7	1.4	17.0	7.2	12.6
胆のう・胆管	C23-C24	172	29.1	7.6	26.2	22.7	14.5
膵臓	C25	198	9.6	4.5	29.8	48.0	8.1
喉頭	C32	33	63.6	12.1	18.2	3.0	3.0
肺	C33-C34	668	32.5	9.0	14.2	32.8	11.5
皮膚	C43-C44	80	82.5	3.8	3.8	1.3	8.8
乳房	C50	323	60.1	24.8	5.0	7.4	2.8
乳房（女性のみ）	C50	317	59.9	25.2	5.0	7.6	2.2
子宮	C53-C55	99	55.6	6.1	25.3	11.1	2.0
子宮頸部	C53	50	54.0	12.0	28.0	6.0	0.0
子宮体部	C54	46	60.9	0.0	23.9	15.2	0.0
卵巣	C56	50	24.0	2.0	38.0	18.0	18.0
前立腺	C61	336	71.7	1.2	9.8	11.3	6.0
膀胱	C67	113	63.7	0.9	14.2	8.8	12.4
腎・尿路（膀胱除く）	C64-C66 C68	129	63.6	2.3	13.2	15.5	5.4
脳・中枢神経系	C70-C72	34	35.3	0.0	0.0	2.9	61.8
甲状腺	C73	130	59.2	24.6	11.5	0.8	3.8
悪性リンパ腫	C81-C85 C96	183	18.0	1.6	9.3	28.4	42.6
多発性骨髄腫	C88-C90	37	0.0	0.0	0.0	5.4	94.6
白血病	C91-C95	69	1.4	0.0	0.0	4.3	94.2

表5. 臨床進行度分布 (%) ; 部位別

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	上皮内がん	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96 D00-D09	5,177	6.2	43.6	9.0	12.6	16.7	11.9
食道	C15 D001	109	11.9	34.9	13.8	18.3	10.1	11.0
大腸（結腸・直腸）*1	C18-C20 D010-D012	846	14.4	39.0	13.4	10.5	16.5	6.1
結腸 *1	C18 D010	568	15.7	37.7	12.7	11.1	17.1	5.8
直腸 *1	C19-C20 D011-D012	278	11.9	41.7	14.7	9.4	15.5	6.8
肺	C33-C34 D021-D022	669	0.1	32.4	9.0	14.2	32.7	11.5
皮膚	C43-C44 D030-D049	103	22.3	64.1	2.9	2.9	1.0	6.8
乳房	C50 D05	367	12.0	52.9	21.8	4.4	6.5	2.5
乳房（女性のみ）	C50 D05	361	12.2	52.6	22.2	4.4	6.6	1.9
子宮	C53-C55 D06	145	31.7	37.9	4.1	17.2	7.6	1.4
子宮頸部	C53 D06	96	47.9	28.1	6.3	14.6	3.1	0.0
膀胱	C67 D090	169	30.2	42.6	0.6	9.5	5.9	11.2

*1 粘膜がんを含む

表6. 受療割合 (%) ; 部位別 *1

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96	4,851	56.6	10.7	37.7	18.8
口腔・咽頭	C00-C14	85	61.2	51.8	63.5	10.6
食道	C15	96	35.4	41.7	46.9	15.6
胃	C16	876	76.0	0.6	23.6	15.1
大腸（結腸・直腸）	C18-C20	724	85.8	1.4	30.0	12.2
結腸	C18	479	86.4	0.2	29.2	12.3
直腸	C19-C20	245	84.5	3.7	31.4	11.8
肝および肝内胆管	C22	277	9.7	0.4	31.0	30.0
胆のう・胆管	C23-C24	172	50.6	2.9	26.7	30.2
膵臓	C25	198	32.3	6.1	55.6	27.8
喉頭	C32	33	51.5	69.7	42.4	3.0
肺	C33-C34	668	32.9	17.4	36.7	31.6
皮膚	C43-C44	80	83.8	5.0	7.5	11.3
乳房	C50	323	89.5	26.9	65.6	5.6
乳房（女性のみ）	C50	317	89.9	27.4	66.6	5.0
子宮	C53-C55	99	78.8	29.3	45.5	5.1
子宮頸部	C53	50	68.0	52.0	50.0	4.0
子宮体部	C54	46	95.7	6.5	43.5	0.0
卵巣	C56	50	64.0	0.0	50.0	28.0
前立腺	C61	336	25.0	20.2	63.4	9.2
膀胱	C67	113	71.7	8.0	34.5	21.2
腎・尿路（膀胱除く）	C64-C66 C68	129	76.7	6.2	20.9	16.3
脳・中枢神経系	C70-C72	34	50.0	44.1	23.5	32.4
甲状腺	C73	130	83.1	1.5	6.9	16.9
悪性リンパ腫	C81-C85 C96	183	15.3	13.1	61.7	20.8
多発性骨髄腫	C88-C90	37	0.0	0.0	64.9	35.1
白血病	C91-C95	69	0.0	1.4	69.6	24.6

*1 重複を含むため合計は100%にならない

表6. 受療割合 (%) ; 部位別 *1

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96 D00-D09	5,177	58.8	10.4	35.8	18.0
食道	C15 D001	109	39.4	37.6	42.2	15.6
大腸（結腸・直腸）*2	C18-C20 D010-D012	846	87.7	1.2	25.8	10.5
結腸 *2	C18 D010	568	88.4	0.2	24.6	10.6
直腸 *2	C19-C20 D011-D012	278	86.3	3.2	28.1	10.4
肺	C33-C34 D021-D022	669	33.0	17.3	36.6	31.5
皮膚	C43-C44 D030-D049	103	86.4	3.9	5.8	9.7
乳房	C50 D05	367	89.9	27.8	58.9	5.7
乳房（女性のみ）	C50 D05	361	90.3	28.3	59.6	5.3
子宮	C53-C55 D06	145	78.6	20.0	31.0	9.7
子宮頸部	C53 D06	96	72.9	27.1	26.0	11.5
膀胱	C67 D090	169	77.5	5.3	30.2	17.2

*1 重複を含むため合計は100%にならない

*2 粘膜がんを含む

表7. 切除内容 (%) ; 部位別

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2008年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96	2,745	80.3	8.9	2.8	6.0	2.0
口腔・咽頭	C00-C14	52	75.0	7.7	11.5	1.9	3.8
食道	C15	34	82.4	17.6	0.0	0.0	0.0
胃	C16	666	83.9	8.7	2.0	3.9	1.5
大腸（結腸・直腸）	C18-C20	621	79.1	10.0	1.6	6.3	3.1
結腸	C18	414	78.0	10.4	1.4	7.0	3.1
直腸	C19-C20	207	81.2	9.2	1.9	4.8	2.9
肝および肝内胆管	C22	27	81.5	11.1	3.7	3.7	0.0
胆のう・胆管	C23-C24	87	47.1	9.2	0.0	42.5	1.1
膵臓	C25	64	32.8	7.8	4.7	48.4	6.3
喉頭	C32	17	52.9	5.9	35.3	0.0	5.9
肺	C33-C34	220	88.6	4.5	1.8	2.7	2.3
皮膚	C43-C44	67	92.5	3.0	3.0	0.0	1.5
乳房	C50	289	91.3	5.5	1.4	1.0	0.7
乳房（女性のみ）	C50	285	91.6	5.6	1.1	1.1	0.7
子宮	C53-C55	78	91.0	6.4	1.3	0.0	1.3
子宮頸部	C53	34	94.1	5.9	0.0	0.0	0.0
子宮体部	C54	44	88.6	6.8	2.3	0.0	2.3
卵巣	C56	32	71.9	15.6	3.1	9.4	0.0
前立腺	C61	84	66.7	26.2	4.8	1.2	1.2
膀胱	C67	81	80.2	8.6	4.9	3.7	2.5
腎・尿路（膀胱除く）	C64-C66 C68	99	88.9	6.1	1.0	2.0	2.0
脳・中枢神経系	C70-C72	17	47.1	41.2	11.8	0.0	0.0
甲状腺	C73	108	94.4	0.0	4.6	0.0	0.9
悪性リンパ腫	C81-C85 C96	28	35.7	14.3	21.4	25.0	3.6
多発性骨髄腫	C88-C90	0
白血病	C91-C95	0

表7. 切除内容 (%) ; 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2008年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96 D00-D09	3,043	81.7	8.1	2.7	5.5	2.0
食道	C15 D001	43	86.0	14.0	0.0	0.0	0.0
大腸（結腸・直腸）*1	C18-C20 D010-D012	742	81.3	8.5	1.6	5.4	3.2
結腸 *1	C18 D010	502	80.7	8.6	1.6	5.8	3.4
直腸 *1	C19-C20 D011-D012	240	82.5	8.3	1.7	4.6	2.9
肺	C33-C34 D021-D022	221	88.7	4.5	1.8	2.7	2.3
皮膚	C43-C44 D030-D049	89	94.4	2.2	2.2	0.0	1.1
乳房	C50 D05	330	91.8	5.2	1.5	0.9	0.6
乳房（女性のみ）	C50 D05	326	92.0	5.2	1.2	0.9	0.6
子宮	C53-C55 D06	114	93.9	4.4	0.9	0.0	0.9
子宮頸部	C53 D06	70	97.1	2.9	0.0	0.0	0.0
膀胱	C67 D090	131	85.5	6.1	3.1	3.1	2.3

*1 粘膜がんを含む

表8. 精度指標； 部位別、性別

A. 上皮内がんを除く

2008年

部位	ICD-10	罹患／死亡比 (ID比)			死亡情報で初めて 把握された症例 DCN (%)			死亡情報のみの 症例 DCO (%)			国際 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96	2.12	2.16	2.14	11.9	16.0	13.6	3.2	4.2	3.6	2.8	3.9	3.3	84.2	80.0	82.4	78.2	74.7	76.7
口腔・咽頭	C00-C14	2.70	1.35	2.07	11.3	25.9	15.7	1.6	11.1	4.5	1.6	11.1	4.5	93.5	85.2	91.0	90.3	85.2	88.8
食道	C15	1.86	2.00	1.88	12.2	6.3	11.2	2.4	0.0	2.0	2.4	0.0	2.0	96.3	93.8	95.9	96.3	87.5	94.9
胃	C16	2.99	2.68	2.88	8.7	15.8	11.0	1.3	4.7	2.4	1.2	4.0	2.1	96.3	91.9	94.9	96.3	90.9	94.5
大腸（結腸・直腸）	C18-C20	2.81	2.67	2.74	6.0	12.8	9.2	1.8	1.7	1.8	1.8	1.7	1.8	96.1	89.8	93.1	95.1	89.5	92.4
結腸	C18	2.67	2.62	2.65	6.6	11.9	9.2	1.2	2.0	1.6	1.2	2.0	1.6	95.9	88.9	92.4	94.7	88.5	91.6
直腸	C19-C20	3.09	2.77	2.94	4.9	14.8	9.2	2.8	0.9	2.0	2.8	0.9	2.0	96.5	91.7	94.4	95.8	91.7	94.0
肝および肝内胆管	C22	1.49	1.70	1.57	14.9	26.1	19.5	2.9	9.2	5.5	2.9	9.2	5.5	14.9	13.4	14.3	14.4	11.8	13.3
胆のう・胆管	C23-C24	1.23	1.11	1.16	16.3	27.2	21.9	3.5	3.3	3.4	3.5	3.3	3.4	64.0	39.1	51.1	58.1	33.7	45.5
膵臓	C25	1.21	0.95	1.08	16.5	27.3	21.5	6.1	9.1	7.5	6.1	9.1	7.5	39.1	32.3	36.0	35.7	25.3	30.8
喉頭	C32	10.00	...	11.00	3.3	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	96.7	100.0	97.0	96.7	100.0	97.0
肺	C33-C34	1.31	1.59	1.39	21.1	27.8	23.2	8.1	9.4	8.5	7.7	8.1	7.8	77.5	74.9	76.7	51.9	53.4	52.3
皮膚	C43-C44	15.67	6.80	10.13	2.1	8.8	4.9	0.0	2.9	1.2	0.0	2.9	1.2	100.0	94.1	97.5	100.0	94.1	97.5
乳房	C50	8.00	5.23	5.27	50.0	1.9	3.1	25.0	0.6	1.2	25.0	0.6	1.2	62.5	98.1	97.2	62.5	95.9	95.1
子宮	C53-C55	-	3.37	3.37	-	5.0	5.0	-	2.0	2.0	-	2.0	2.0	-	96.0	96.0	-	93.1	93.1
子宮頸部	C53	-	3.40	3.40	-	2.0	2.0	-	2.0	2.0	-	2.0	2.0	-	98.0	98.0	-	94.1	94.1
子宮体部	C54	-	7.67	7.67	-	4.3	4.3	-	0.0	0.0	-	0.0	0.0	-	100.0	100.0	-	100.0	100.0
卵巣	C56	-	1.82	1.82	-	13.7	13.7	-	2.0	2.0	-	2.0	2.0	-	82.4	82.4	-	76.5	76.5
前立腺	C61	4.63	-	4.63	5.0	-	5.0	0.6	-	0.6	0.0	-	0.0	99.1	-	99.1	99.1	-	99.1
膀胱	C67	2.83	1.31	2.11	8.5	35.3	16.4	2.4	2.9	2.6	2.4	2.9	2.6	95.1	82.4	91.4	87.8	70.6	82.8
腎・尿路（膀胱除く）	C64-C66 C68	2.93	2.88	2.91	8.2	17.4	11.5	0.0	4.3	1.5	0.0	4.3	1.5	88.2	80.4	85.5	87.1	76.1	83.2
脳・中枢神経系	C70-C72	2.25	3.00	2.57	38.9	33.3	36.1	11.1	0.0	5.6	11.1	0.0	5.6	55.6	55.6	55.6	55.6	55.6	55.6
甲状腺	C73	9.00	11.44	10.83	0.0	1.9	1.5	0.0	0.0	0.0	0.0	0.0	0.0	100.0	99.0	99.2	88.9	89.3	89.2
悪性リンパ腫	C81-C85 C96	2.24	1.78	2.00	10.9	25.3	17.6	2.0	3.4	2.7	1.0	3.4	2.1	95.0	81.6	88.8	93.1	80.5	87.2
多発性骨髄腫	C88-C90	1.58	0.86	1.12	21.1	26.3	23.7	0.0	5.3	2.6	0.0	5.3	2.6	84.2	78.9	81.6	68.4	68.4	68.4
白血病	C91-C95	1.08	1.72	1.28	21.4	6.5	15.1	7.1	3.2	5.5	0.0	0.0	0.0	100.0	100.0	100.0	83.3	77.4	80.8

表8. 精度指標； 部位別、性別

B. 上皮内がんを含む

2008年

部位	ICD-10	罹患／死亡比 (ID比)			死亡情報で初めて 把握された症例 DCN(%)			死亡情報のみの 症例 DCO(%)			国際 DCO(%)			病理学的裏付けの ある症例 MV(%)			組織学的裏付けの ある症例 HV(%)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96 D00-D09	2.23	2.33	2.27	11.4	14.8	12.8	3.0	3.9	3.4	2.7	3.6	3.1	85.0	81.4	83.5	79.3	76.3	78.0
食道	C15 D001	2.11	2.25	2.13	10.8	5.6	9.9	2.2	0.0	1.8	2.2	0.0	1.8	96.8	94.4	96.4	96.8	88.9	95.5
大腸 (結腸・直腸) *1	C18-C20 D010-D012	3.38	3.00	3.19	5.4	11.4	8.1	1.5	1.5	1.5	1.5	1.5	1.5	96.8	90.9	94.1	95.9	90.7	93.5
結腸 *1	C18 D010	3.31	2.96	3.13	5.3	10.5	7.8	1.0	1.8	1.4	1.0	1.8	1.4	96.7	90.2	93.6	95.7	89.8	92.9
直腸 *1	C19-C20 D011-D012	3.52	3.10	3.33	5.6	13.2	8.8	2.5	0.8	1.8	2.5	0.8	1.8	96.9	92.6	95.1	96.3	92.6	94.7
肺	C33-C34 D021-D022	1.31	1.60	1.39	21.1	27.7	23.1	8.1	9.4	8.5	7.7	8.0	7.8	77.5	75.0	76.7	51.9	53.6	52.4
皮膚	C43-C44 D030-D049	18.67	9.60	13.00	3.6	6.3	4.8	0.0	2.1	1.0	0.0	2.1	1.0	98.2	95.8	97.1	98.2	95.8	97.1
乳房	C50 D05	8.00	5.95	5.98	50.0	1.7	2.7	25.0	0.6	1.1	25.0	0.6	1.1	62.5	98.3	97.6	62.5	96.1	95.4
子宮	C53-C55 D06	-	4.90	4.90	-	3.4	3.4	-	1.4	1.4	-	1.4	1.4	-	97.3	97.3	-	93.2	93.2
子宮頸部	C53 D06	-	6.47	6.47	-	1.0	1.0	-	1.0	1.0	-	1.0	1.0	-	99.0	99.0	-	93.8	93.8
膀胱	C67 D090	4.41	1.69	3.13	5.5	27.3	11.0	1.6	2.3	1.7	1.6	2.3	1.7	96.9	86.4	94.2	92.2	77.3	88.4

*1 粘膜がんを含む

表9. 死亡数、死亡割合(%)、粗死亡率、年齢調整死亡率(人口10万対)および累積死亡率(人口100対) ; 部位別、性別

2008年

部位	ICD-10	死亡数			死亡割合(%)			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	日本人人口			世界人口			男	女	男女計
											男	女	男女計	男	女	男女計			
全部位	C00-C97	1,368	988	2,356	100.0	100.0	100.0	353.2	239.9	294.8	176.5	91.6	127.8	117.5	64.0	86.9	12.1	6.2	9.0
口腔・咽頭	C00-C14	23	20	43	1.7	2.0	1.8	5.9	4.9	5.4	3.2	2.1	2.6	2.3	1.6	1.9	0.3	0.1	0.2
食道	C15	44	8	52	3.2	0.8	2.2	11.4	1.9	6.5	6.6	0.7	3.4	4.5	0.5	2.4	0.5	0.1	0.3
胃	C16	201	111	312	14.7	11.2	13.2	51.9	27.0	39.0	26.4	9.0	16.6	17.9	6.2	11.4	1.9	0.5	1.1
大腸(結腸・直腸)	C18-C20	137	132	269	10.0	13.4	11.4	35.4	32.1	33.7	17.8	11.0	14.0	12.0	7.2	9.3	1.2	0.6	0.9
結腸	C18	91	93	184	6.7	9.4	7.8	23.5	22.6	23.0	11.2	7.9	9.2	7.4	5.3	6.1	0.7	0.4	0.6
直腸	C19-C20	46	39	85	3.4	3.9	3.6	11.9	9.5	10.6	6.6	3.1	4.8	4.6	1.9	3.2	0.5	0.2	0.3
肝および肝内胆管	C22	117	70	187	8.6	7.1	7.9	30.2	17.0	23.4	15.6	5.6	10.2	10.2	3.6	6.7	1.2	0.4	0.8
胆のう・胆管	C23-C24	70	83	153	5.1	8.4	6.5	18.1	20.2	19.1	9.0	5.5	7.1	6.0	3.4	4.6	0.6	0.2	0.4
膵臓	C25	95	104	199	6.9	10.5	8.4	24.5	25.3	24.9	12.7	10.3	11.4	8.7	7.3	7.9	1.0	0.9	0.9
喉頭	C32	3	0	3	0.2	0.0	0.1	0.8	0.0	0.4	0.4	0.0	0.2	0.4	0.0	0.2	0.0	0.0	0.0
肺	C33-C34	387	140	527	28.3	14.2	22.4	99.9	34.0	65.9	48.6	11.8	27.8	31.4	7.9	18.3	3.4	0.7	2.0
皮膚	C43-C44	3	5	8	0.2	0.5	0.3	0.8	1.2	1.0	0.3	0.4	0.4	0.3	0.3	0.3	0.0	0.0	0.0
乳房	C50	1	61	62	0.1	6.2	2.6	0.3	14.8	7.8	0.2	10.0	5.3	0.1	7.8	4.1	0.0	0.9	0.4
子宮	C53-C55	-	30	30	-	3.0	1.3	-	7.3	-	-	5.1	-	-	3.8	-	-	0.4	-
子宮頸部	C53	-	15	15	-	1.5	0.6	-	3.6	-	-	3.2	-	-	2.5	-	-	0.2	-
子宮体部	C54	-	6	6	-	0.6	0.3	-	1.5	-	-	0.8	-	-	0.6	-	-	0.1	-
卵巣	C56	-	28	28	-	2.8	1.2	-	6.8	-	-	3.4	-	-	2.5	-	-	0.3	-
前立腺	C61	73	-	73	5.3	-	3.1	18.8	-	-	8.3	-	-	5.1	-	-	0.4	-	-
膀胱	C67	29	26	55	2.1	2.6	2.3	7.5	6.3	6.9	3.3	1.6	2.2	2.1	1.0	1.4	0.1	0.1	0.1
腎・尿路(膀胱除く)	C64-C66 C68	29	16	45	2.1	1.6	1.9	7.5	3.9	5.6	3.7	1.7	2.5	2.5	1.2	1.7	0.3	0.1	0.2
脳・中枢神経系	C70-C72	8	6	14	0.6	0.6	0.6	2.1	1.5	1.8	1.7	1.2	1.4	1.5	1.1	1.3	0.1	0.1	0.1
甲状腺	C73	3	9	12	0.2	0.9	0.5	0.8	2.2	1.5	0.3	0.8	0.5	0.2	0.5	0.4	0.0	0.1	0.0
悪性リンパ腫	C81-C85 C96	45	49	94	3.3	5.0	4.0	11.6	11.9	11.8	5.2	4.0	4.5	3.1	2.9	2.9	0.2	0.2	0.2
多発性骨髄腫	C88-C90	12	22	34	0.9	2.2	1.4	3.1	5.3	4.3	1.5	1.6	1.6	0.9	1.0	1.0	0.1	0.1	0.1
白血病	C91-C95	39	18	57	2.9	1.8	2.4	10.1	4.4	7.1	5.3	1.7	3.3	3.5	1.1	2.2	0.4	0.1	0.2

表12. 5年相対生存率(%) *1

A. 部位別、性別

2005年

部位	ICD-10	男			女			男女計		
		対象者数	5年相対生存率(%)	標準誤差	対象者数	5年相対生存率(%)	標準誤差	対象者数	5年相対生存率(%)	標準誤差
全部位	C00-C96	1,916	59.0	1.4	1,437	64.2	1.4	3,353	61.3	1.0
口腔・咽頭	C00-C14	16	46.8	13.9	10	62.2	19.4	26	55.5	11.4
食道	C15	55	49.7	7.7	15	29.0	12.5	70	45.3	6.7
胃	C16	447	66.6	2.8	279	71.1	3.3	726	68.4	2.1
大腸(結腸・直腸)*2	C18-C20	294	72.1	3.5	234	71.6	3.5	528	72.0	2.5
結腸	C18	174	74.0	4.5	166	70.8	4.2	340	72.4	3.1
直腸	C19-C20	120	69.5	5.3	68	73.6	6.3	188	71.1	4.1
肝および肝内胆管	C22	136	29.0	4.4	81	30.9	5.6	217	29.7	3.5
胆のう・胆管	C23-C24	52	14.4	5.5	57	19.3	5.9	109	17.0	4.1
膵臓	C25	66	3.4	2.4	63	5.0	2.9	129	4.3	1.9
喉頭	C32	16	70.7	14.9	1	0.0	0.0	17	66.6	14.6
肺	C33-C34	280	31.8	3.1	96	42.2	5.5	376	34.5	2.7
皮膚	C43-C44	19	84.5	12.7	14	55.6	17.2	33	75.2	10.8
乳房	C50	2	100.0	0.0	253	91.1	2.4	255	91.4	2.3
子宮	C53-C55	-	-	-	72	72.2	5.8	72	72.2	5.8
子宮頸部	C53	-	-	-	35	62.2	8.7	35	62.2	8.7
子宮体部	C54	-	-	-	37	81.0	7.3	37	81.0	7.3
卵巣	C56	-	-	-	34	43.0	9.6	34	43.0	9.6
前立腺	C61	230	87.9	3.8	-	-	-	230	87.9	3.8
膀胱	C67	82	84.6	6.4	19	51.3	13.6	101	79.5	5.9
腎・尿路(膀胱除く)	C64-C66 C68	51	66.9	8.0	33	72.9	8.6	84	70.2	5.9
脳・中枢神経系	C70-C72	15	41.5	13.2	10	20.7	13.1	25	33.2	9.7
甲状腺	C73	18	83.2	10.1	60	96.1	3.0	78	94.0	3.2
悪性リンパ腫	C81-C85 C96	63	74.3	7.0	42	86.5	6.6	105	79.8	5.0
多発性骨髄腫	C88-C90	10	50.6	20.7	10	20.8	13.3	20	34.9	12.4
白血病	C91-C95	19	32.9	11.3	18	47.5	12.7	37	39.8	8.5
小児がん		7	100.0	0.0	3	66.7	27.2	10	90.0	9.5

*1 補充届出患者を含まない

*2 粘膜がんを含まない

表12. 5年相対生存率(%) *1
B. 主要部位別、性別、臨床進行度別

2005年

部位	ICD-10	臨床 進行度	男				女				男女計									
			対象者数		5年相対生存率 標準誤差		対象者数		5年相対生存率 標準誤差		対象者数		5年相対生存率 標準誤差							
			数	%	数	%	数	%	数	%	数	%	数	%						
全部位	C00-C96	限局	967	86.4	1.7	729	88.9	1.6	1,696	87.5	1.2	469	42.0	2.6	376	53.5	2.8	845	47.3	1.9
		遠隔	342	14.8	2.1	217	9.5	2.1	559	12.7	1.5	138	32.6	4.7	115	44.5	5.3	253	38.1	3.5
		合計	1,916	59.0	1.4	1,437	64.2	1.4	3,353	61.3	1.0	2	0.0	0.0	1	100.0	0.0	3	33.8	27.9
胃	C16	限局	248	95.7	3.0	161	97.7	2.7	409	96.8	2.1	108	43.6	5.6	66	47.4	6.8	174	45.2	4.3
		遠隔	78	7.5	3.3	41	2.7	2.7	119	5.9	2.4	13	30.5	15.7	11	32.3	16.5	24	31.4	11.4
		合計	447	66.6	2.8	279	71.1	3.3	726	68.4	2.1	9	19.9	19.9	9	52.8	19.3	18	43.4	14.1
大腸(結腸・直腸)*2	C18-C20	限局	131	96.8	4.2	112	92.8	3.9	243	96.5	2.9	96	72.4	5.9	71	74.3	6.1	167	73.4	4.3
		遠隔	58	15.7	5.2	42	12.8	5.4	100	14.5	3.8	58	15.7	5.2	42	12.8	5.4	100	14.5	3.8
		合計	447	66.6	2.8	279	71.1	3.3	726	68.4	2.1	9	19.9	19.9	9	52.8	19.3	18	43.4	14.1
結腸	C18	限局	72	99.8	5.1	79	93.1	4.5	151	97.9	3.4	58	75.4	7.5	47	70.7	7.9	105	73.7	5.5
		遠隔	38	15.3	6.3	35	15.2	6.4	73	15.3	4.5	38	15.3	6.3	35	15.2	6.4	73	15.3	4.5
		合計	174	74.0	4.5	166	70.8	4.2	340	72.4	3.1	6	20.0	20.0	5	76.6	23.7	11	46.1	18.7
直腸	C19-C20	限局	59	89.3	6.8	33	87.4	7.5	92	89.3	5.1	38	67.0	9.3	24	78.0	9.5	62	72.8	6.8
		遠隔	20	16.4	8.8	7	0.0	0.0	27	12.2	6.8	20	16.4	8.8	7	0.0	0.0	27	12.2	6.8
		合計	120	69.5	5.3	68	73.6	6.3	188	71.1	4.1	3	69.6	29.8	4	26.6	23.7	7	37.2	21.4
肝および肝内胆管	C22	限局	101	34.1	5.3	59	39.2	7.1	160	36.0	4.3	12	18.6	12.8	11	0.0	0.0	23	9.8	6.8
		遠隔	9	0.0	0.0	5	0.0	0.0	14	0.0	0.0	14	0.0	0.0	5	0.0	0.0	19	0.0	0.0
		合計	136	29.0	4.4	81	30.9	5.6	217	29.7	3.5	14	17.6	12.5	6	35.0	20.6	20	23.4	11.0
肺	C33-C34	限局	77	74.5	6.3	40	80.9	7.2	117	77.1	4.9	108	24.5	4.7	27	20.8	8.7	135	23.9	4.1
		遠隔	77	4.4	2.5	24	0.0	0.0	101	3.3	1.9	77	4.4	2.5	24	0.0	0.0	101	3.3	1.9
		合計	280	31.8	3.1	155	39.2	1.8	217	29.7	3.5	18	6.8	6.7	5	25.7	27.1	23	11.1	7.9
乳房	C50	限局	1	100.0	0.0	1	100.0	0.0	1	100.0	0.0	1	100.0	0.0	1	100.0	0.0	1	100.0	0.0
		遠隔	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
		合計	2	100.0	0.0	253	91.1	2.4	255	91.4	2.3	2	100.0	0.0	1	100.0	0.0	1	100.0	0.0
子宮	C53-C55	限局	-	-	-	43	94.7	4.1	43	94.7	4.1	-	-	-	16	52.3	13.3	16	52.3	13.3
		遠隔	-	-	-	10	0.0	0.0	10	0.0	0.0	-	-	-	3	33.8	27.9	3	33.8	27.9
		合計	-	-	-	72	72.2	5.8	72	72.2	5.8	-	-	-	35	62.2	8.7	35	62.2	8.7
子宮頸部	C53	限局	-	-	-	16	88.0	8.4	16	88.0	8.4	-	-	-	12	53.0	15.7	12	53.0	15.7
		遠隔	-	-	-	6	0.0	0.0	6	0.0	0.0	-	-	-	1	100.0	0.0	1	100.0	0.0
		合計	-	-	-	72	72.2	5.8	72	72.2	5.8	-	-	-	35	62.2	8.7	35	62.2	8.7
子宮体部	C54	限局	-	-	-	27	97.4	4.0	27	97.4	4.0	-	-	-	4	50.1	25.2	4	50.1	25.2
		遠隔	-	-	-	4	0.0	0.0	4	0.0	0.0	-	-	-	2	0.0	0.0	2	0.0	0.0
		合計	-	-	-	37	81.0	7.3	37	81.0	7.3	-	-	-	37	81.0	7.3	37	81.0	7.3
前立腺	C61	限局	153	97.1	4.0	-	-	-	153	97.1	4.0	27	69.9	11.2	-	-	-	27	69.9	11.2
		遠隔	36	47.6	10.4	-	-	-	36	47.6	10.4	14	65.7	17.8	-	-	-	14	65.7	17.8
		合計	230	87.9	3.8	-	-	-	230	87.9	3.8	230	87.9	3.8	-	-	-	230	87.9	3.8

*1 補充届出患者を含まない

*2 粘膜炎を含まない

付表1. がん罹患数および罹患率： 詳細部位別、性別

2008年

部位	国際疾病分類				割合(%)				粗罹患率				年齢調整罹患率				世帯人口			
	分類		罹患数		割合(%)		粗罹患率		年齢調整罹患率		世帯人口		年齢調整罹患率		世帯人口					
	10-10	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計				
全部位	000-936	2,895	2,137	5,032	100.0	100.0	739.8	508.6	620.1	415.6	273.7	334.9	293.0	204.5	242.8	35.0	21.8	27.9		
口唇	000	1	2	3	0.0	0.1	0.3	0.5	0.4	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0		
舌根<舌下>部	001	2	3	5	0.1	0.0	0.1	0.5	0.2	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.0	0.0		
その他の上唇部	002	11	9	20	0.4	0.4	2.8	2.1	2.5	2.1	1.1	1.6	1.7	0.8	1.2	0.2	0.1	0.1		
咽頭	003	6	5	11	0.2	0.2	1.5	1.2	1.4	0.9	0.3	0.6	0.6	0.4	0.1	0.0	0.0			
口腔底	004	6	0	6	0.2	0.0	1.5	0.0	0.7	0.9	0.0	0.4	0.4	0.0	0.3	0.1	0.0	0.0		
口蓋	005	3	0	3	0.1	0.0	0.1	0.8	0.0	0.4	0.0	0.2	0.2	0.0	0.1	0.0	0.0			
その他の上唇部	006	0	2	2	0.0	0.1	0.0	0.5	0.2	0.4	0.1	0.1	0.0	0.1	0.1	0.0	0.0			
舌下腺	007	2	1	3	0.1	0.0	0.1	0.5	0.2	0.4	0.0	0.2	0.2	0.1	0.1	0.0	0.0			
その他の上唇部	008	1	1	2	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0			
中咽頭	009	3	1	4	0.1	0.0	0.1	0.8	0.2	0.5	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0		
下咽頭	010	11	1	12	0.4	0.0	2.2	1.5	1.8	0.2	0.9	1.3	0.1	0.7	0.2	0.0	0.1			
喉<上>咽頭	011	2	3	5	0.1	0.1	0.1	0.5	0.7	0.6	0.2	0.4	0.1	0.6	0.3	0.0	0.1			
咽頭<嚥>部	012	3	0	3	0.1	0.0	0.1	0.8	0.0	0.4	0.4	0.0	0.2	0.4	0.0	0.2	0.0	0.0		
下咽頭	013	9	1	10	0.3	0.0	2.2	2.3	0.2	1.2	1.3	0.1	0.7	1.0	0.0	0.5	0.1	0.0		
その他の上唇部	014	3	0	3	0.1	0.0	0.1	0.8	0.0	0.4	0.5	0.0	0.2	0.4	0.0	0.2	0.1	0.0		
食道	015	82	16	98	2.8	0.7	1.9	21.0	3.8	12.1	11.7	1.6	6.3	8.0	1.2	4.4	1.0	0.2		
胃	016	600	298	898	20.7	13.9	17.8	153.3	70.9	110.7	87.4	32.8	57.8	82.1	23.6	41.4	7.9	2.4		
小腸	017	10	7	17	0.3	0.3	0.3	2.6	1.7	2.1	1.6	1.2	1.3	1.2	0.9	1.0	0.1	0.1		
胆膵	018	243	244	487	8.4	11.4	9.7	62.1	58.1	60.0	34.5	23.8	29.6	24.6	18.2	21.0	2.9	2.0		
胆膵S状結腸移行部	019	12	11	23	0.4	0.5	0.5	3.1	2.6	2.8	1.8	1.8	1.3	1.4	1.3	0.9	0.9			
盲腸	020	130	97	227	4.5	4.5	4.5	33.2	23.1	28.0	20.6	10.4	15.4	14.9	7.4	11.1	1.9	0.9		
横行および横行部	021	4	2	6	0.1	0.1	0.1	0.5	0.7	0.5	0.7	0.1	0.5	0.1	0.4	0.1	0.0			
降部	022	174	119	293	6.0	5.6	5.8	44.5	28.3	38.1	24.4	11.2	17.4	16.7	7.4	11.8	2.1	0.9		
肝および肝門部	023	26	46	72	0.9	2.2	1.4	6.6	10.9	8.9	3.3	2.9	3.2	1.8	2.0	0.2	0.1	0.2		
胆のう	024	60	66	126	2.1	2.2	2.1	15.3	10.9	13.1	7.8	3.8	5.6	5.4	2.5	3.8	0.6	0.2		
その他の上唇部	025	115	99	214	4.0	4.6	4.3	29.4	23.6	26.4	15.9	8.4	12.0	11.0	5.7	8.3	1.3	0.6		
その他の上唇部	026	2	2	4	0.0	0.0	0.0	0.3	0.2	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0			
膵臓	027	1	1	2	0.0	0.0	0.0	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0			
肝臓	028	3	4	7	0.1	0.2	0.1	0.8	1.0	0.9	0.5	0.8	0.6	0.4	0.6	0.5	0.1	0.1		
胆膵	029	44	30	74	1.5	1.4	1.5	11.2	7.1	9.1	5.9	2.9	4.2	4.0	2.1	2.9	0.4	0.2		
その他の上唇部	030	9	2	11	0.3	0.1	0.2	2.3	0.5	1.4	1.4	0.1	0.7	1.0	0.0	0.5	0.1	0.0		
中腸	031	2	0	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
大腸	032	30	3	33	1.0	0.1	0.7	7.7	0.7	4.1	4.3	0.5	2.2	3.1	0.4	1.6	0.5	0.0		
盲腸	033	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
盲腸S状結腸移行部	034	507	223	730	17.5	10.4	14.5	129.6	53.1	90.0	68.0	23.5	43.1	45.9	16.8	29.8	5.2	1.9		
降部	037	2	4	6	0.1	0.2	0.1	0.5	1.0	0.7	0.5	0.3	0.7	0.5	0.4	0.0	0.1			
横部	038	2	3	5	0.1	0.1	0.1	0.5	0.7	0.6	0.4	0.7	0.5	0.3	0.7	0.5	0.0			
その他の上唇部	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
心臓、胆膵および胆膵	040	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.4	0.2	0.0	0.5	0.2	0.0			
(注) 肺がんは別表参照	041	7	3	10	0.2	0.1	0.2	1.8	0.7	1.2	1.0	0.2	0.6	0.7	0.1	0.4	0.1	0.0		
その他の上唇部	042	4	4	8	0.1	0.2	0.1	0.8	1.0	0.9	0.5	0.8	0.6	0.4	0.6	0.5	0.1	0.1		
気管支	043	44	30	74	1.5	1.4	1.5	11.2	7.1	9.1	5.9	2.9	4.2	4.0	2.1	2.9	0.4	0.2		
その他の上唇部	044	9	2	11	0.3	0.1	0.2	2.3	0.5	1.4	1.4	0.1	0.7	1.0	0.0	0.5	0.1	0.0		
中腸	045	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
大腸	046	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
盲腸	047	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
胆膵	048	2	5	7	0.1	0.2	0.1	0.5	1.2	0.9	0.6	0.5	0.6	0.7	0.4	0.6	0.0	0.1		
その他の上唇部	049	11	0	11	0.4	0.0	0.2	2.8	0.0	1.4	1.9	0.0	0.9	1.4	0.0	0.7	0.2	0.0		
気管	050	0	310	327	0.3	14.9	6.5	2.0	76.9	40.3	1.2	61.7	31.9	0.9	47.5	24.6	0.1	5.2		
気管支	051	2	10	12	0.0	0.2	0.0	0.5	2.4	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0			
肺	052	1	1	2	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0			
肺	053	338	17	355	11.7	0.6	6.7	86.4	0.0	45.1	0.0	0.0	30.7	0.0	4.0	0.0				
肺	054	17	2	19	0.6	0.0	4.3	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.3	0.0				
その他の上唇部	055	2	2	4	0.1	0.1	0.0	0.5	0.0	0.3	0.0	0.0	0.2	0.0	0.0	0.0				
腎臓	056	70	32	102	2.4	1.5	2.0	17.9	7.6	12.6	11.4	4.2	7.6	8.2	3.1	5.5	0.9	0.3		
腎臓	057	7	6	13	0.2	0.3	0.3	1.8	1.6	1.6	0.1	0.6	0.8	0.7	0.4	0.6	0.1	0.0		
腎臓	058	6	13	19	0.2	0.3	0.3	1.5	1.7	1.6	0.8	0.3	0.6	0.6	0.2	0.4	0.1			
腎臓	059	6	7	13	0.2	0.3	0.3	1.5	1.7	1.6	0.8	0.3	0.6	0.6	0.2	0.4	0.1			
腎臓	060	82	34	116	2.8	1.6	2.3	21.0	8.1	14.3	10.5	2.9	6.3	7.2	1.9	4.3	0.8	0.2		
その他の上唇部	061	2	1	3	0.1	0.1	0.1	0.5	0.2	0.4	0.2	0.1	0.1	0.1	0.1	0.0	0.0			
腎臓	062	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
腎臓	063	1	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
腎臓	064	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
腎臓	065	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
腎臓	066	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
腎臓	067	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
腎臓	068	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
腎臓	069	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
腎臓	070	1	2	3	0.0	0.1	0.1	0.3	0.5	0.4	0.1	0.2	0.2	0.0	0.2	0.1	0.0			
腎臓	071	15	15	30	0.5	0.7	0.6	3.8	3.6	3										

付表1. がん罹患数および罹患率： 詳細部位別、性別

2008年

部位	国際疾病分類 10D-10	罹患数		割合(%)		粗罹患率		年齢調整罹患率		性別人口		累積罹患率(0-74歳)							
		男	女	男	女	男	女	男	女	男	女	男	女						
														男	女	男	女	男	女
上部気管	000-009	160	166	326	5.5	7.8	6.5	40.9	39.5	40.2	24.1	32.3	27.8	17.4	25.2	21.0	2.2	2.5	2.3
口腔、食道および胃	000	15	3	18	0.5	0.1	0.4	3.8	0.7	2.2	2.2	0.4	1.3	1.6	0.3	0.9	0.2	0.0	0.1
食道	0001	11	2	13	0.4	0.1	0.3	2.8	0.5	1.6	1.7	0.1	0.9	1.2	0.1	0.6	0.1	0.0	0.1
その他の上部気管不整の消化器	001	82	45	127	2.8	2.1	2.5	21.0	10.7	15.7	13.7	5.7	9.5	10.2	4.1	7.1	1.4	0.5	0.9
結腸	0010	58	31	89	2.0	1.5	1.8	14.8	7.4	11.0	9.7	3.9	6.7	7.2	2.8	4.9	0.9	0.4	0.6
直腸S状結腸移行部	0011	1	1	2	0.0	0.0	0.0	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
盲腸	0012	19	12	31	0.7	0.6	0.6	4.9	2.9	3.8	3.2	1.7	2.4	2.4	1.2	1.8	0.3	0.1	0.2
中腸および呼吸器系	002	3	1	4	0.1	0.0	0.1	0.8	0.2	0.5	0.4	0.1	0.2	0.3	0.0	0.2	0.0	0.0	0.0
気管	0021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	0022	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上部気管気腫	003	1	2	3	0.0	0.1	0.1	0.3	0.5	0.4	0.1	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
原腸のその他	004	8	12	20	0.3	0.6	0.4	2.0	2.9	2.5	0.9	1.4	1.1	0.6	0.9	0.7	0.0	0.1	0.1
気腫	005	0	44	44	0.0	2.1	0.9	0.0	10.5	5.4	0.0	9.6	4.9	0.0	7.6	3.9	0.0	0.8	0.4
子宮頸部	006	-	46	46	-	2.2	0.9	-	10.9	5.7	-	13.2	6.6	-	11.0	5.5	-	0.9	0.4
その他のおよび部位不整の性別	007	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
その他および部位不整	009	51	12	63	1.8	0.6	1.3	13.0	2.9	7.8	6.8	1.3	3.8	4.6	0.9	2.6	0.5	0.1	0.3
部位	0090	46	10	56	1.6	0.5	1.1	11.8	2.4	6.9	6.1	1.1	3.3	4.2	0.7	2.3	0.5	0.1	0.3
部位	032	7	17	24	0.2	0.8	0.5	1.8	4.0	3.0	1.1	2.8	1.9	0.8	2.1	1.5	0.1	0.3	0.2
部位および中枢神経系	033	4	3	7	0.1	0.1	0.1	1.0	0.7	0.9	1.1	0.8	0.9	1.2	0.7	1.0	0.1	0.1	0.1
下脳幹、脳蓋部神経、脳神経	0332-0354	3	7	10	0.1	0.3	0.2	0.8	1.7	1.2	0.6	1.5	1.0	0.4	1.3	0.9	0.1	0.1	0.1
性別不詳または不明の箇所																			
部位	042	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
部位および中枢神経系	043	3	1	4	0.1	0.0	0.1	0.8	0.2	0.5	0.5	0.1	0.3	0.4	0.0	0.2	0.0	0.0	0.0
下脳幹、脳蓋部神経、脳神経	043-D45	0	3	3	0.0	0.1	0.1	0.0	0.7	0.4	0.0	0.7	0.4	0.0	0.6	0.3	0.0	0.1	0.0
気管支肺増殖症	046	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
骨髄腫の原形材料	046	37	26	63	1.3	1.2	1.3	9.5	6.2	7.8	4.5	2.6	3.4	2.9	1.7	2.2	0.3	0.2	0.2
慢性骨髄性白血病*	047	1	2	3	0.0	0.1	0.1	0.3	0.5	0.4	0.1	0.3	0.2	0.1	0.2	0.1	0.0	0.0	0.0

*1 ICD-0-3により性状3に分類される形態

付表3. 受療割合詳細 (%) ; 部位別

国内DCOを除く届出患者、男女計

2008年

A. 上皮内がんを除く

部位	ICD-10	集計対象数	単独療法							併用療法 *1						不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	切除+薬物	薬物+放射線	薬物 *2	切除+放射線+薬物	その他*3	
全部位	C00-C96	4,851	22.9	5.0	6.6	2.2	9.1	0.1	3.1	0.9	14.9	3.9	0.5	3.1	8.9	18.8
口腔・咽頭	C00-C14	85	21.2	0.0	0.0	1.2	4.7	0.0	0.0	2.4	10.6	17.6	0.0	24.7	7.1	10.6
食道	C15	96	13.5	0.0	12.5	6.3	4.2	0.0	0.0	0.0	7.3	34.4	0.0	1.0	5.2	15.6
胃	C16	876	31.3	5.6	20.4	0.2	7.9	0.0	0.0	0.0	14.8	0.1	0.0	0.1	4.5	15.1
大腸（結腸・直腸）	C18-C20	724	37.4	6.4	7.6	0.1	1.5	0.0	0.0	0.1	26.8	0.1	0.0	0.8	6.9	12.2
結腸	C18	479	36.7	6.9	7.7	0.0	1.3	0.0	0.0	0.0	27.6	0.0	0.0	0.0	7.5	12.3
直腸	C19-C20	245	38.8	5.3	7.3	0.4	2.0	0.0	0.0	0.4	25.3	0.4	0.0	2.4	5.7	11.8
肝および肝内胆管	C22	277	5.1	0.0	0.4	0.4	7.2	0.0	0.0	0.0	1.1	0.0	1.1	0.0	54.9	30.0
胆のう・胆管	C23-C24	172	14.5	2.9	12.8	1.2	5.2	0.0	0.0	0.0	12.8	0.0	0.0	1.2	19.2	30.2
膵臓	C25	198	5.1	0.0	4.5	0.0	27.3	0.0	0.0	0.5	16.7	2.5	0.0	0.5	15.2	27.8
喉頭	C32	33	9.1	0.0	0.0	24.2	3.0	0.0	0.0	12.1	3.0	18.2	0.0	15.2	12.1	3.0
肺	C33-C34	668	6.9	14.4	0.0	7.0	15.3	0.0	0.1	0.0	9.0	8.8	0.1	0.9	5.8	31.6
皮膚	C43-C44	80	76.3	0.0	0.0	2.5	1.3	0.0	0.0	1.3	6.3	0.0	0.0	0.0	1.3	11.3
乳房	C50	323	26.0	0.0	0.0	0.0	1.9	0.0	1.5	2.8	36.5	0.3	0.9	23.5	0.9	5.6
乳房（女性のみ）	C50	317	25.6	0.0	0.0	0.0	1.9	0.0	1.6	2.8	36.9	0.3	0.9	24.0	0.9	5.0
子宮	C53-C55	99	35.4	1.0	0.0	2.0	1.0	0.0	0.0	6.1	24.2	9.1	0.0	9.1	7.1	5.1
子宮頸部	C53	50	28.0	0.0	0.0	4.0	2.0	0.0	0.0	10.0	12.0	18.0	0.0	14.0	8.0	4.0
子宮体部	C54	46	45.7	2.2	0.0	0.0	0.0	0.0	0.0	2.2	39.1	0.0	0.0	4.3	6.5	0.0
卵巣	C56	50	22.0	0.0	0.0	0.0	8.0	0.0	0.0	0.0	42.0	0.0	0.0	0.0	0.0	28.0
前立腺	C61	336	12.2	3.6	2.7	8.0	0.3	0.6	42.3	0.9	5.7	11.3	3.0	0.0	0.3	9.2
膀胱	C67	113	8.8	0.9	19.5	0.9	1.8	0.9	0.9	2.7	24.8	0.9	0.0	2.7	14.2	21.2
腎・尿路（膀胱除く）	C64-C66 C68	129	31.8	24.8	1.6	0.0	3.1	0.8	0.0	1.6	12.4	0.8	0.0	3.1	3.9	16.3
脳・中枢神経系	C70-C72	34	11.8	0.0	0.0	2.9	0.0	0.0	0.0	20.6	2.9	5.9	0.0	14.7	8.8	32.4
甲状腺	C73	130	76.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	0.0	0.0	1.5	0.0	16.9
悪性リンパ腫	C81-C85 C96	183	3.8	1.1	0.5	2.7	42.1	0.0	0.0	2.7	6.6	7.1	2.2	0.5	9.8	20.8
多発性骨髄腫	C88-C90	37	0.0	0.0	0.0	0.0	64.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.1
白血病	C91-C95	69	0.0	0.0	0.0	0.0	53.6	0.0	0.0	0.0	0.0	0.0	4.3	0.0	17.4	24.6

*1 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫・内分泌療法を指す。

*2 化学、免疫、内分泌療法のいずれかの併用

*3 単独療法および併用療法のいずれの項目にも含まれないものを指す (1)その他の治療 (TAE、PEITなど) の実施 (2)外科、体腔鏡、内視鏡的療法のいずれかの併用

付表3. 受療割合詳細 (%) ; 部位別
B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2008年

部位	ICD-10	集計対象数	単独療法							併用療法 *2						不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	切除+薬物	薬物+放射線	薬物 *3	切除+放射線+薬物	その他*4	
全部位	C00-C96 D00-D09	5,177	23.5	5.0	8.8	2.1	8.5	0.1	2.9	1.2	14.3	3.7	0.5	3.0	8.6	18.0
食道	C15 D001	109	11.9	0.0	19.3	5.5	3.7	0.0	0.0	0.0	6.4	31.2	0.0	0.9	5.5	15.6
大腸 (結腸・直腸) *1	C18-C20 D010-D012	846	33.9	6.5	17.0	0.1	1.3	0.0	0.0	0.1	23.0	0.1	0.0	0.7	6.6	10.5
結腸 *1	C18 D010	568	32.9	7.4	17.6	0.0	1.1	0.0	0.0	0.0	23.2	0.0	0.0	0.0	7.2	10.6
直腸 *1	C19-C20 D011-D012	278	36.0	4.7	15.8	0.4	1.8	0.0	0.0	0.4	22.7	0.4	0.0	2.2	5.4	10.4
肺	C33-C34 D021-D022	669	6.9	14.5	0.0	7.0	15.2	0.0	0.1	0.0	9.0	8.8	0.1	0.9	5.8	31.5
皮膚	C43-C44 D030-D049	103	80.6	0.0	0.0	1.9	1.0	0.0	0.0	1.0	4.9	0.0	0.0	0.0	1.0	9.7
乳房	C50 D05	367	29.4	0.0	0.0	0.0	1.6	0.0	1.4	6.0	32.7	0.3	0.8	21.3	0.8	5.7
乳房 (女性のみ)	C50 D05	361	29.1	0.0	0.0	0.0	1.7	0.0	1.4	6.1	33.0	0.3	0.8	21.6	0.8	5.3
子宮	C53-C55 D06	145	47.6	1.4	0.7	1.4	0.7	0.0	0.0	4.1	16.6	6.2	0.0	6.2	5.5	9.7
子宮頸部	C53 D06	96	50.0	1.0	1.0	2.1	1.0	0.0	0.0	5.2	6.3	9.4	0.0	7.3	5.2	11.5
膀胱	C67 D090	169	7.1	0.6	34.3	0.6	1.2	1.2	0.6	1.8	23.1	0.6	0.0	1.8	10.1	17.2

*1 粘膜がんを含む

*2 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫療法・内分泌療法を指す。

*3 化学、免疫、内分泌療法のいずれかの併用

*4 単独療法および併用療法のいずれの項目にも含まれないものを指す (1)その他の治療 (TAE、PEITなど) の実施 (2)外科、体腔鏡、内視鏡的療法のいずれかの併用

付表4. 医療圏別、保健所別罹患数； 部位別、性別

2008年

A. 上皮内がんを除く

医療圏/保健所	全部位 C00-C95			胃 C16			大腸(直腸・結腸) C18-C20			結腸 C18			直腸 C19-C20			肝臓 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女	女	女	男
福井県	2,895	2,137	5,032	500	298	898	385	352	737	243	244	487	142	108	250	174	119	293	507	223	730	8	319	327	101	51	46	338
福井・坂井医療圏	1,956	1,167	2,723	302	159	461	211	195	406	132	139	271	79	56	135	107	73	180	261	119	380	6	187	193	52	26	24	201
奥越医療圏	286	184	470	50	34	94	44	27	71	29	21	50	15	6	21	16	10	26	43	20	63	0	22	22	6	1	5	28
丹南医療圏	603	444	1,047	136	61	197	82	67	149	52	49	101	30	18	48	30	21	51	108	47	155	1	63	64	25	12	12	69
嶺南医療圏	450	342	792	102	44	146	48	63	111	30	35	65	18	28	46	21	15	36	95	37	132	1	47	48	18	12	5	40
福井保健所	1,955	808	1,893	205	116	321	151	136	287	98	101	199	53	35	88	67	48	115	183	76	259	4	134	138	30	17	12	153
坂井保健所	471	359	830	97	43	140	60	59	119	34	38	72	26	21	47	40	25	65	78	43	121	2	53	55	22	9	12	48
奥越保健所	286	184	470	50	34	94	44	27	71	29	21	50	15	6	21	16	10	26	43	20	63	0	22	22	6	1	5	28
丹南保健所	603	444	1,047	136	61	197	82	67	149	52	49	101	30	18	48	30	21	51	108	47	155	1	63	64	25	12	12	69
二州保健所	325	232	557	59	32	101	36	46	82	21	24	45	15	22	37	17	10	27	78	24	102	1	30	31	15	9	5	26
若狭保健所	125	110	235	33	12	45	12	17	29	9	11	20	3	6	9	4	5	9	17	13	30	0	17	17	3	3	0	14

付表4. 医療圏別、保健所別罹患数； 部位別、性別

2008年

B. 上皮内がんを含む

医療圏/保健所	全部位			大腸(結腸・直腸)			結腸			直腸			肺			乳房			子宮	子宮頸部
	C00-C96 D01-D09			C18-C20 D010-D012 *1			C18 D010 *1			C19-C20 D011-D012 *1			C33-C34 D021-D022			C50 D05			C53-C55 D06	C53 D06
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女	女
福井県	3,055	2,303	5,358	463	396	859	301	275	576	162	121	283	507	224	731	8	363	371	147	97
福井・坂井医療圏	1,663	1,266	2,929	265	217	482	173	154	327	92	63	155	261	120	381	6	213	219	83	57
奥越医療圏	305	200	505	53	32	85	34	26	60	19	6	25	43	20	63	0	26	26	10	5
丹南医療圏	623	479	1,102	89	79	168	58	57	115	31	22	53	108	47	155	1	70	71	35	22
嶺南医療圏	464	358	822	56	68	124	36	38	74	20	30	50	95	37	132	1	54	55	19	13
福井保健所	1,167	882	2,049	191	148	339	129	108	237	62	40	102	183	77	260	4	152	156	56	43
坂井保健所	496	384	880	74	69	143	44	46	90	30	23	53	78	43	121	2	61	63	27	14
奥越保健所	305	200	505	53	32	85	34	26	60	19	6	25	43	20	63	0	26	26	10	5
丹南保健所	623	479	1,102	89	79	168	58	57	115	31	22	53	108	47	155	1	70	71	35	22
二州保健所	336	245	581	41	50	91	25	26	51	16	24	40	78	24	102	1	35	36	16	10
若狭保健所	128	113	241	15	18	33	11	12	23	4	6	10	17	13	30	0	19	19	3	3

*1 粘膜がんを含む

付表5. 市区町村別罹患数； 部位別、性別
A. 上皮内がんを除く

2008年

市区町村	全部位 C00-C96			腎 C16			大腸(直腸・結腸) C18-C20			結腸 C18			直腸 C19-C20			肝臓 C22			膵 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女	女	女	男
福井県	2,895	2,137	5,032	600	299	898	385	352	737	243	244	487	142	108	250	174	119	293	507	223	730	8	319	327	101	51	45	338
福井市	1,002	745	1,747	184	105	287	147	131	278	97	95	193	50	35	85	65	43	108	170	73	243	4	123	127	26	15	10	139
敦賀市	208	169	377	40	21	61	26	35	61	16	17	33	10	18	28	13	9	22	48	18	66	0	26	26	8	5	3	19
小浜市	72	65	137	23	5	28	8	13	21	6	8	14	2	5	7	3	4	7	9	9	18	0	10	10	2	2	0	8
大野市	179	114	293	36	20	56	28	20	48	17	15	32	11	5	16	14	10	24	22	13	35	0	12	12	4	0	4	21
勝山市	107	70	177	24	14	38	16	7	23	12	6	18	4	1	5	2	0	2	21	7	28	0	10	10	2	1	1	7
鯖江市	220	151	371	42	25	67	38	25	63	27	18	45	11	7	18	10	5	15	43	12	55	1	25	26	12	8	3	25
あわら市	139	110	252	27	12	39	16	20	36	9	14	23	7	6	13	20	12	32	20	14	34	1	18	19	7	3	4	8
越前市	243	203	446	58	28	86	28	32	60	13	27	40	15	5	20	12	13	25	43	25	68	0	26	26	10	3	7	28
坂井市	327	246	573	69	31	100	44	39	83	25	24	49	19	15	34	20	13	33	57	29	86	1	35	36	15	6	8	40
美山町	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
松岡町	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
永平寺町	81	62	143	20	13	33	4	5	9	1	5	6	3	0	3	2	5	7	13	3	16	0	11	11	4	2	2	14
上志比村	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
三国町	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
丸岡町	2	0	2	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
春江町	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
池田町	12	13	25	3	0	3	1	1	2	1	0	1	0	1	0	1	0	2	2	3	0	3	0	1	1	1	1	0
南条町	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
河野村	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
南越前町	48	27	75	9	4	13	2	1	3	1	1	2	1	0	1	3	0	3	7	4	11	0	2	2	1	0	1	7
越前町	80	48	128	24	4	28	13	8	21	10	3	13	3	5	8	5	1	6	12	6	18	0	9	9	1	0	1	9
三方町	2	1	3	1	0	1	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
美浜町	39	26	65	8	3	11	5	5	10	2	4	6	3	1	4	0	0	0	12	0	12	1	3	4	4	2	1	2
高浜町	32	21	53	8	3	11	0	2	2	0	1	1	0	1	1	1	1	2	2	1	3	0	5	5	1	1	0	4
おおい町	21	24	45	2	4	6	4	2	6	3	2	5	1	0	1	0	0	0	6	3	9	0	2	2	0	0	0	2
若狭町	76	36	112	20	8	28	5	5	10	3	3	6	2	2	4	4	1	5	18	6	24	0	1	1	3	2	1	5

付表5. 市区町村別罹患数； 部位別、性別

B. 上皮内がんを含む

2008年

市区町村	全部位			大腸(結腸・直腸)			結腸			直腸			肺			乳房			子宮	子宮頸部
	C00-C96 D01-D09			C18-C20 D010-D012 *1			C18 D010 *1			C19-C20 D011-D012 *1			C33-C34 D021-D022			C50 D05			C53-C55 D06	C53 D06
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女	女
福井県	3,055	2,303	5,358	463	396	859	301	275	576	162	121	283	507	224	731	8	363	371	147	97
福井市	1,077	812	1,889	183	142	325	124	102	226	59	40	99	170	74	244	4	137	141	50	39
敦賀市	217	181	398	31	39	70	20	19	39	11	20	31	48	18	66	0	30	30	9	6
小浜市	73	67	140	9	14	23	7	9	16	2	5	7	9	9	18	0	11	11	2	2
大野市	191	124	315	33	23	56	20	18	38	13	5	18	22	13	35	0	14	14	6	2
勝山市	114	76	190	20	9	29	14	8	22	6	1	7	21	7	28	0	12	12	4	3
鯖江市	227	166	393	42	29	71	30	20	50	12	9	21	43	12	55	1	31	32	14	10
あわら市	146	118	264	20	22	42	12	14	26	8	8	16	20	14	34	1	19	20	9	5
越前市	250	211	461	29	35	64	14	30	44	15	5	20	43	25	68	0	26	26	13	6
坂井市	344	266	610	53	47	100	32	32	64	21	15	36	57	29	86	1	42	43	18	9
美山町	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
松岡町	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
永平寺町	88	69	157	8	6	14	5	6	11	3	0	3	13	3	16	0	15	15	6	4
上志比村	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
三国町	2	0	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
丸岡町	3	0	3	1	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0
春江町	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
池田町	13	15	28	1	3	4	1	2	3	0	1	1	3	0	3	0	1	1	1	1
南条町	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
河野村	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
南越前町	49	30	79	2	2	4	1	1	2	1	1	2	7	4	11	0	2	2	3	2
越前町	84	55	139	15	10	25	12	4	16	3	6	9	12	6	18	0	10	10	4	3
三方町	2	1	3	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0
美浜町	41	27	68	5	5	10	2	4	6	3	1	4	12	0	12	1	4	5	4	2
高浜町	33	21	54	1	2	3	1	1	2	0	1	1	2	1	3	0	5	5	1	1
おおい町	22	25	47	5	2	7	3	2	5	2	0	2	6	3	9	0	3	3	0	0
若狭町	76	36	112	5	5	10	3	3	6	2	2	4	18	6	24	0	1	1	3	2

*1 粘膜がんを含む